

- (2) THE ASSIGNMENT OF NO-PDC FL290 IS INTENDED TO FACILITATE INITIAL DEPARTURE ONLY. ONCE AIRBORNE, FLIGHT LEVEL ALLOCATION SHALL BE SUBJECT TO NORMAL ATC RQMNTS AND ON A FIRST-COME-FIRST SERVED BASIS AT ANITO FOR B470, ATVIX FOR A464 AND AKTOD FOR A576. FOR SEPARATION PURPOSE, A464 AND A576 ARE CONSIDERED AS SINGLE ROUTE.
- (3) 10 MINUTES LONGITUDINAL SEPARATION WILL BE APPLIED, WITH MACH NUMBER TECHNIQUE, TO SUCCEEDING AIRCRAFT ON THE SAME ROUTE AND AT THE SAME FLIGHT LEVEL. SUCH LONGITUDINAL SEPARATION WILL BE ADJUSTED FOR FASTER OR SLOWER PRECEDING AIRCRAFT AS APPROPRIATE.
- (4) OTHER FLIGHT LEVELS WOULD BE AVAILABLE SUBJECT TO PRIOR COORDINATION.

SINGAPORE FIR KCQ4436/A0959/B0959/C0992 29/5/03 MET BALLOONS

BTN 1600/2200 ON 29 MAY, 5, 12, 19, 26 JUN, 3, 10, 15, 17, 24, 31 JUL AND 5 AUG MET BALLOONS WILL BE RELEASED AT 0120N 10338E (WI TENGAH ATZ). DNG HGT UNL. CNL NOTAM A0828/B0828/C0860 8/5.

SINGAPORE FIR A1161/B1161/C1198 26/6/03 FLYPAST

BTN 07060945/08161125, REF AIP SUP 61/03 DATED 4 JUN, RSAF FORMATION FLYPAST WILL TAKE PLACE PRIOR TO AND ON SINGAPORE NATIONAL DAY, 9 AUGUST 2003.

SINGAPORE FIR A1312/B1312/C1350 18/7/03 EXER CARAT 2003

PSE REFER TO AIP SUP 63/03 DATED 19 JUN ON AIRSPACE CLOSURE FOR KUALA LUMPUR AND SINGAPORE FIR FM 28 JUL TO 10 AUG 03 DUE TO EXER CARAT 2003.

SINGAPORE FIR A1323/B1323/C1361 19/7/03 DNG AREA

BTN 0000/1559 ON 28 JUL, 1, 2, 3 AUG AND 07290000/1030 WSD11A ACT. DNG HGT FL125.

SINGAPORE FIR A1324/B1324/C1362 19/7/03 DNG AREA

BTN 0000/1559 ON 28 JUL, 1, 2, 3 AUG AND 07290000/1030 WSD11B ACT. DNG HGT FL125.

SINGAPORE FIR A1335/B1335/C1373 19/7/03 BALLOONS

BTN 0830/0930, 1130/1230 ON 26 JUL AND 9 AUG (RESERVED DATES : 27 JUL AND 16 AUG) 5000 HELIUM-FILLED BALLOONS WILL BE RELEASED SINGLY ALL AT ONE GO AT 011815N 1035245E (NATIONAL STADIUM - WI PAYA LEBAR CTR). DNG HGT UNL. CNL NOTAM A1266/B1266/C1303 10/7.

SINGAPORE FIR A1336/B1336/C1374 19/7/03 FIREWORKS DISPLAY

BTN 1100/1500 ON 26 JUL AND 2, 9 AUG (RESERVED DATES : 27 JUL AND 3, 16 AUG) FIREWORKS DISPLAY WILL TAKE PLACE AT 011845N 1035235E (WI PAYA LEBAR CTR). SAFETY RADIUS / HGT : 160M / 340M. CNL NOTAM A1267/B1267/C1304 10/7.

SINGAPORE FIR A1347/B1347/C1387 23/7/03 BALLOONS

BTN 0830/0900, 1130/1230 ON 2 AND 3 (RESERVED DATE) AUG 500 HELIUM-FILLED BALLOONS WILL BE RELEASED SINGLY ALL AT ONE GO AT 011815N 1035245E (WI PAYA LEBAR CTR). DNG HGT UNL.

SINGAPORE FIR KCQ6164/A1363/B1363/C1403 25/7/03 DNG AREA

BTN 07310001/1100, 08010001/1100 AND 08020001/0500 WSD21 ACT. DNG HGT 2,000FT.

SINGAPORE FIR KCQ6182/A1368/B1368/C1408 25/7/03 FRNG
 =====
 BTN 07301201/08011400 AND 08020001/0500 FRNG WILL TAKE PLACE WI WSD44/45. DNG HGT FL400.

SINGAPORE FIR KCQ6183/A1369/B1369/C1409 25/7/03 DNG AREA
 =====
 BTN 07301200/08011400 AND 08020001/0500 WSD20 ACT. DNG HGT 2,000FT.

SINGAPORE FIR KCQ6184/A1370/B1370/C1410 25/7/03 FRNG
 =====
 BTN 07310001/1100, 08010001/1100 AND 08020001/0500 FRNG WILL TAKE PLACE WI WSD8/12/13.
 DNG HGT FL400.

SINGAPORE FIR KCQ6196/A1376/B1376/C1416 25/7/03 FRNG
 =====
 BTN 2300/1400 ON 27/28, 28/29 JUL, 07292300/08011400 AND 08020001/0500 FRNG WILL TAKE PLACE WI
 WSD14/15. DNG HGT FL400. CNL NOTAM A1361/B1361/C1401 25/7.

SINGAPORE FIR A1377/B1377/C1417 25/7/03 DNG AREA
 =====
 BTN 0000/1559 ON 4, 7, 8 AND 10 AUG WSD11A ACT. DNG HGT FL125.

SINGAPORE FIR A1378/B1378/C1418 25/7/03 DNG AREA
 =====
 BTN 0000/1559 ON 4, 7, 8 AND 10 AUG WSD11B ACT. DNG HGT FL125.

SINGAPORE FIR KCQ6245/A1391/B1391/C1431 28/7/03 PJE
 =====
 BTN 07310645/1000 AND 08010945/1300 PJE WILL TAKE PLACE WI 011730N 1035430E 012500N 1035800E
 012600N 1035330E 012000N 1035100E (WI PAYA LEBAR CTR). DNG HGT 3,000FT. AREA WILL BE CLSD
 TO ALL OPS. JUMP IN VMC AND SUBJ ATC CLEARANCE.

SINGAPORE FIR KCQ6327/A1406/B1406/C1446 29/7/03 AIR ACT
 =====
 BTN 07312300/08011100 AIR ACT WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.
 DNG HGT 2,000FT.

SINGAPORE FIR KCQ6336/A1408/B1408/C1448 30/7/03 PARAGLIDER
 =====
 BTN 07302300/07310200, 07311000/1100, 08012300/08020200 AND 08020900/1100 MOTORISED
 PARAGLIDER TRAINING FOR NATIONAL DAY PARADE WILL TAKE PLACE WI 800M RADIUS OF
 011812N 1035233E (WI PAYA LEBAR CTR). DNG HGT 200FT. ACTIVITY SUBJ ATC CLEARANCE.

SINGAPORE FIR KCQ6337/A1409/B1409/C1449 30/7/03 AIR ACT
 =====
 BTN 08012300/08021100 AIR ACT WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.
 DNG HGT 2,000FT .

SINGAPORE FIR KCQ6349/A1410/B1410/C1450 30/7/03 AIR ACT
 =====
 BTN 08022300/08031100 AIR ACT WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.
 DNG HGT 2,000FT.

SINGAPORE FIR KCQ6350/A1411/B1411/C1451 30/7/03 AIR ACT

BTN 08032300/08041100 AIR ACT WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.
DNG HGT 2,000FT.

SINGAPORE FIR KCQ 6358/A1412/B1412/C1452 31/7/03 AIR ACT

BTN 08042300/08051100 AIR ACT WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.
DNG HGT 2,000FT.

SINGAPORE FIR A1415/B1415/C1455 31/7/03 DNG AREA

BTN 2300/1100 ON 2/3, 9/10, 16/17, 23/24 AND 30/31 AUG WSD4 ACT. DNG HGT FL160.

SINGAPORE FIR A1416/B1416/C1456 31/7/03 DNG AREA

BTN 1100/1400 ON 1, 4 TO 8, 11 TO 15, 18 TO 22 AND 25 TO 29 AUG WSD4 ACT. DNG HGT FL160.

SINGAPORE FIR C1457 31/7/03 UNDERWATER
DEMOLITION

BTN 08042330/08080400 UNDERWATER DEMOLITION WILL TAKE PLACE AT WSD4
(PULAU SENANG - UB AREA). SAFETY RADIUS / HGT : 700FT / 500FT.

SINGAPORE CHANGI A0179/B0179/C0191 1/2/02 TWY
(WSSS)

WEF 02040100/PERM NEW TWY WA STRETCHING FM BEHIND ACFT STANDS C7 TO 107 OPEN FOR
OPS. THE FOLLOWING RESTRICTIONS ARE APPLICABLE :

- 1) DRG DARKNESS, ACFT CAN ONLY BE TOWED IN / OUT FM ACFT STANDS 118, 117,
108 AND 107 AS THERE WILL BE NO CL LGT FM TWY VY AND TWY WA BEHIND
ACFT STAND C7 LEADING TO ACFT STANDS 118 AND 117, AND FM TWY V7
LEADING TO ACFT STANDS 107 AND 108.
- 2) THERE WILL BE NO CL LGT AND MARKINGS FM THE NEW TWY WA LEADING TO
ACFT STANDS 107 AND 108. ACFT ARE TO BE TOWED IN / OUT FM THE NEW
TWY WA TO ACFT STANDS 107 AND 108 DRG DAY AND NGT.
- 3) ACFT ARE NOT ALLOWED TO TURN DIRECTLY RIGHT FM THE NEW TWY WA TO TWY V7
AND DIRECTLY LEFT FM TWY V7 TO THE NEW TWY WA.

SINGAPORE CHANGI A0883/B0883/C0923 12/6/02 RWY
(WSSS)

WIE/0401010000EST NEW RWY UNDER CONST EAST OF RWY 02R/20L. THE RWY IS NOT OPR AND IS
MARKED BY RWY CLOSURE MARKINGS IN ACCORDANCE WITH ICAO ANNEX 14 SARPS.

SINGAPORE CHANGI A1025/B1025/C1071 25/6/02 TAX INSTRUCTION
(WSSS)

WIE/PERM PILOTS ARE ADZ TO APPLY MNM THRUST WHEN

- (I) TURNING INTO TWY A1 WHILE TAX EITHER NORTHWARDS OR SOUTHWARDS ON TWY A6,
AND
- (II) THEREAFTER WHEN TAX ALONG TWY A1 UP TO AND INCLUDING THE TWY A7 - A1
JUNCTION.

THIS IS IN VIEW OF APRON ACT AT ACFT STANDS D47, D48 AND D49. A MANDATORY
INSTRUCTION SIGN WITH THE INSCRIPTION "APPLY MNM THRUST" HAS BEEN INSTALLED ALONG
THE EASTERN SIDE OF TWY A6 BEFORE THE TURN INTO TWY A1 FM THE NORTH AS WELL AS
FROM THE SOUTH. CNL NOTAM A0599/B0599/C0627 30/4.

SINGAPORE CHANGI A0884/B0884/C0916 18/5/03 GND FREQ
(WSSS)

=====

WEF 05190000/08182359, REF AIP SINGAPORE PAGE WSSS AD 2-25, SINGAPORE GND FREQ 121.725MHZ WILL OPR ONLY BTN 0800/1600 DAILY. NO CHANGE TO OPR HR OF SINGAPORE GND FREQ 124.3MHZ.

SINGAPORE CHANGI A1164/B1164/C1201 26/6/03 PUSHBACK PROC
(WSSS)

=====

BTN 06280000/09262359 PUSHBACK PROC FOR DEPARTING ACFT AT ACFT STANDS 506, 507 AND 508 AS FLW :

THE ACFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE NORTH TILL ITS NOSEWHEEL IS AT THE INTERSECTION OF THE LEAD-IN LINE AND APRON TWY CENTRELINE. THE ACFT SHALL THEN BE PUSHED FURTHER BACK TILL ITS NOSEWHEEL IS ON THE "END OF PUSH" MARKINGS BEHIND ACFT STAND 505.

SINGAPORE CHANGI A1261/B1261/C1298 10/7/03 TWY
(WSSS)

=====

BTN 07140030/08250030 CONCRETE FOOTINGS AND TWY GATE WILL BE CONSTRUCTED AT THE NORTHERN END OF TWY EA. DRG THE WORKS PERIOD,

- 1) HALF THE WIDTH OF TWY EA ON THE WESTERN SIDE FACING CIAS CARGO TERMINAL WILL BE CLSD;
- 2) AFFECTED TWY CL WILL BE DIVERTED TO THE EASTERN SIDE.

RMK / ACFT CAN ONLY BE TOWED THRU THE DIVERTED SECTION OF TWY EA. EXER EXTREME CTN WHEN TOWING. BOUNDARY MARKERS ARE PROVIDED ON SITE TO DEMARCATATE THE CONST AREA AT THE TWY.

SINGAPORE CHANGI A1333/B1333/C1371 19/7/03 ACFT STANDS
(WSSS)

=====

BTN 07210600/09301559, REF AIP SUP 62/03, INSERT NEW PARAGRAPH 5.2 :

5.2 ACFT STANDS A2, B2 AND B3 ARE TO BE USED FOR BAY-TO-BAY RE-POSITIONING OF ACFT ON THE GND ONLY, AND NOT FOR PRKG OF ACFT IMMEDIATELY AFTER LDG AT SINGAPORE CHANGI AP.

SINGAPORE CHANGI A1354/B1354/C1394 24/7/03 AIRAC
(WSSS)

=====

REF AIC 5/02 DATED 1ST OCT 02, NIL AIRAC FOR EFF DATE 4 SEP 03.

SINGAPORE CHANGI A1371/B1371/C1411 25/7/03 TWY
(WSSS)

=====

BTN 08050200/0900 TWY SC BTN TWY WA / WP CLSD DUE TO WIP.
RMK : RWY 02L/20R WILL BE CLSD FOR MAINT BTN 08050200/0900.

SINGAPORE CHANGI A1380/B1380/C1420 26/7/03 RWY
(WSSS)

=====

REF AIP SINGAPORE PAGE WSSS AD 2-22 SECTION WSSS AD 2.12 ITEM 12, RWY 02R/20L CLOSURE BTN 08050315/0330 AND 08050635/0700 CNL.

SINGAPORE CHANGI A1397/B1397/C1437 29/7/03 TWY
(WSSS)

BTN 08151700/2300 JUNCTION OF TWY C1 / EP CLSD DUE TO WIP.

SINGAPORE CHANGI A1398/B1398/C1438 29/7/03 MOV AREA
(WSSS)

BTN 08131700/2300 TWY C2 BEHIND ACFT STANDS F40, F41 AND F42 CLSD DUE TO WIP.
RMK / ACFT STANDS F40, F41 AND F42 CLSD.

SINGAPORE CHANGI A1399/B1399/C1439 29/7/03 ACFT STAND
(WSSS)

BTN 08130200/0900 ACFT STAND 302 CLSD DUE TO WIP.

SINGAPORE CHANGI A1400/B1400/C1440 29/7/03 MOV AREA
(WSSS)

BTN 08040200/0900 TWY U1 BEHIND ACFT STANDS C1 AND C2 CLSD DUE TO WIP.
RMK / ACFT STANDS C1 AND C2 CLSD.

SINGAPORE CHANGI A1401/B1401/C1441 29/7/03 TWY
(WSSS)

BTN 08050200/0900 TWY WP BTN W3 AND W1 CLSD DUE TO WIP.
RMK / W3 AND WP JUNCTION NOT AFFECTED.
TWY WP BTN V6 AND V8 CLSD DUE TO WIP. RMK / BOTH JUNCTIONS INCLUSIVE.

SINGAPORE CHANGI A1402/B1402/C1442 29/7/03 MOV AREA
(WSSS)

BTN 08060200/0900 JUNCTION OF TWY C1 / C6 INCLUDING TWY C6 BEHIND ACFT STANDS F58 AND
F59 CLSD DUE TO WIP. RMK / ACFT STANDS F58 AND F59 CLSD.

SINGAPORE CHANGI A1403/B1403/C1443 29/7/03 TWY
(WSSS)

BTN 08111600/2300 TWY EP BTN TWY E6 AND E11 CLSD DUE TO WIP.
RMK / E6, EP AND C4 JUNCTION NOT AFFECTED.
TWY EP BTN TWY B3 AND C1 CLSD DUE TO WIP. RMK / BOTH JUNCTIONS INCLUSIVE.

SINGAPORE CHANGI A1404/B1404/C1444 29/7/03 MOV AREA
(WSSS)

BTN 08110200/0900 TWY NC2 BTN TWY EA AND A6 CLSD DUE TO WIP.
RMK / BOTH JUNCTIONS INCLUSIVE AND ACFT STANDS 310 AND 309 CLSD.

SINGAPORE CHANGI A1405/B1405/C1445 29/7/03 TWY
(WSSS)

BTN 08061600/2300 TWY NC3 BTN TWY N3 AND A6 CLSD DUE TO WIP.
RMK / BOTH JUNCTIONS NOT AFFECTED.

SINGAPORE CHANGI A1414/B1414/C1454 31/7/03 RWY
(WSSS)

REF AIP SUP 62/03 DATED 4 JUN, RWY 02R/20L WILL BE CLSD FOR WORKS BTN 2200/2300 INSTEAD OF 1700/2300 ON 2 AUG.

PAYA LEBAR (WSAP) KCQ1192/A0607/B0607/C0638 9/4/03 AP CLOSURE

BTN 0500/1100 ON 19 APR, 17 MAY, 14 JUN, 19 JUL, 23 AUG, 20 SEP AND 2300/1100 ON 19/20 APR, 17/18 MAY, 14/15 JUN, 19/20 JUL, 23/24 AUG, 20/21 SEP AP CLSD DUE TO MAINT. DIVERSION ON 30 MINS NOTIFICATION.

PAYA LEBAR (WSAP) KCQ0404/A1201/B1201/C1238 1/7/03 CRANES

BTN 0407010001/0409301559 THREE CRANES, HGT 84M AMSL, ERECTED AT 012245N 1035614E (WI PAYA LEBAR CTR). CRANES MARKED AND LGTD.

PAYA LEBAR (WSAP) KCQ5699/A1249/B1249/C1286 8/7/03 MOBILE CRANE

BTN 0001/1400 WIE TIL 30 SEP ONE MOBILE CRANE, HGT 34M AMSL, ERECTED AT 012045N 1035355E (WI PAYA LEBAR CTR). MOBILE CRANE MARKED AND LGTD.

PAYA LEBAR (WSAP) KCQ6049/A1340/B1340/C1379 21/7/03 TOWER CRANES

BTN 0308010001/0409091559 FIVE TOWER CRANES, HGT 66M AMSL, OPR WI 150M RADIUS OF 011915N 1035405E (WI PAYA LEBAR CTR). TOWER CRANES MARKED AND LGTD.

PAYA LEBAR (WSAP) KCQ5758/A1348/B1348/C1388 23/7/03 TOWER CRANE

BTN 0308010001/0405311559 ONE TOWER CRANE, HGT 93M AMSL, ERECTED AT 011937N 1035154E (WI PAYA LEBAR CTR). TOWER CRANE MARKED AND LGTD.

PAYA LEBAR (WSAP) KCQ5769/A1349/B1349/C1389 23/7/03 MOBILE CRANE

BTN 0308010001/0410301559 ONE MOBILE CRANE, HGT 100M AMSL, ERECTED AT 011936N 1035147E (WI PAYA LEBAR CTR). MOBILE CRANE MARKED AND LGTD.

PAYA LEBAR (WSAP) KCQ6111/A1351/B1351/C1391 23/7/03 CRANE OPS

WIE/0310071559 DUE TO CRANE OPS AT SOUTHERN APPROACH OF PAYA LEBAR, THE DECISION ALTITUDE (DA) FOR PAYA LEBAR RWY 02 ILS AND PAR IS 300FT AMSL. PILOTS TO EXER CTN. CNL NOTAM A0605/B0605/C0636 8/4.

PAYA LEBAR (WSAP) KCQ6165/A1364/B1364/C1404 25/7/03 CRANES

WIE/0406021559, TWO MOBILE/CRAWLER CRANES, HGT 80M AMSL, ERECTED AT 012355N 1035410E (WI PAYA LEBAR CTR). CRANES MARKED AND LGTD.

PAYA LEBAR (WSAP) KCQ6193/A1373/B1373/C1413 25/7/03 TOWER CRANE

BTN 07311600/10071559 ONE TOWER CRANE, HGT 80M AMSL, ERECTED AT 011842N 1035341E (WI PAYA LEBAR CTR). TOWER CRANE MARKED AND LGTD.
RMK / NEW PAR DECISION ALTITUDE (DA) FOR RWY 02 IS 300FT AMSL. PILOTS TO EXER CTN.

PAYA LEBAR (WSAP) KCQ6195/A1375/B1375/C1415 25/7/03 TOWER CRANE

BTN 07311600/10071559 ONE TOWER CRANE, HGT 80M AMSL, ERECTED AT 011843N 1035344E (WI PAYA LEBAR CTR). TOWER CRANE MARKED AND LGTD.
RMK / NEW PAR DECISION ALTITUDE (DA) FOR RWY 02 IS 300FT AMSL. PILOTS TO EXER CTN.

PAYA LEBAR (WSAP) KCQ6244/A1393/B1393/C1433 28/7/03 AIRFIELD EQPT

BTN 07311600/08311559 AIRFIELD EQPT, HGT 1.8M AGL, PLACED AT 11M FM EDGE OF TWY ON BOTH SIDES AT 400M SOUTH OF TWY W1. LGTD AT NGT. RMK / PILOTS TO EXER CTN.

PAYA LEBAR (WSAP) KCQ6247/A1394/B1394/C1434 28/7/03 EQPT

WIE/08311559 FOUR BIRD REPELLENT EQUIPMENT (BICO) AND TEN AEROSOL DISPENSERS, HGT 3M AGL, DEPLOYED ON THE AIRFIELD GRASS PATCHES. PILOT TO EXER CTN.
CNL NOTAM A1197/B1197/C1234 30/6.

PAYA LEBAR (WSAP) KCQ6261/A1395/B1395/C1435 28/7/03 POLES / NETS

BTN 07311600/08311559 WOODEN POLES AND NETS, HGT 2M AGL, DEPLOYED ON THE GRASS PATCH AND ABM 8,000FT DISTANCE TO GO MARKER BOARD ON THE EASTERN SIDE OF RWY 02 FOR BIRD CONTROL PURPOSES.

PAYA LEBAR (WSAP) KCQ6382/A1418/B1418/C1459 31/7/03 ILS

BTN 08030001/0900 RWY 02 ILS OFF THE AIR FOR MONTHLY SER.

PAYA LEBAR (WSAP) KCQ6383/A1419/B1419/C1460 31/7/03 AWOS

BTN 08020001/0400 AUTOMATIC WEATHER OBSERVATION SYSTEM (AWOS) OFF THE AIR FOR MONTHLY SER.

PAYA LEBAR (WSAP) KCQ6380/A1421/B1421/C1462 31/7/03 WIP

BTN 08050001/08080900 WIP ALONG TWY W7 SOUTHERN EDGE OF TWY W7 35M FM TWY CL. WORK AREA DEMARCATED BY HOARDINGS (1.1M IN HGT) AND LGTD AT NGT. EXCAVATOR, HGT 2M, WILL BE USED.

PAYA LEBAR (WSAP) KCQ6379/A1422/B1422/C1463 31/7/03 WIP

BTN 08010001/08040900 WIP ALONG TWY W6 WESTERN EDGE OF WESTERN TWY ABM TWY W6 ACCESS 42M FM THE WESTERN TWY CL. WORK AREA DEMARCATED BY HOARDINGS (1.1M IN HGT) AND LGTD AT NGT. EXCAVATOR, HGT 2M, WILL BE USED.

PAYA LEBAR (WSAP) KCQ6387/A1423/B1423/C1464 31/7/03 REPAINTING

BTN 08020500/1200 AND 08030001/1200 REPAINTING OF RWY 20 EDGE LINES. DIVERSION ON 30 MINS NOTIFICATION.

TENGAH (WSAT) KCQ5544/A1210/B1210/C1247 3/7/03 TOWER FREQ

WIE/PERM TENGAH TOWER FREQ 257.2MHZ PERMANENTLY REPLACED BY 253.5MHZ. AMEND AIP SINGAPORE PAGE WSAT AD 2-5 ACCORDINGLY.

LATEST AIP AMENDMENT ISSUED	:	3/03	15/5/03
LATEST AIP SUPPLEMENT ISSUED	:	78/03	23/7/03
LATEST AIC ISSUED	:	4/03	22/5/03

CURRENT AIP SUPPLEMENTS :

2002 : 70 AND 71.

2003 : 11, 12, 13, 14, 15, 16, 17, 18, 19, 28, 29, 30, 31, 32, 34, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77 AND 78.

AIP SUPPLEMENTS CANCELLED SINCE LAST CHECKLIST :

2002 : 47, 55, 68, 74, 75, 76, 79, 80, 81, 82 AND 83.

2003 : 20, 25, 27, 35, 36, 38 AND 50.