



REPUBLIC OF SINGAPORE

NOTAM LIST

AERONAUTICAL INFORMATION SERVICE
CIVIL AVIATION AUTHORITY OF SINGAPORE
SINGAPORE CHANGI AIRPORT
P.O. BOX 1, SINGAPORE 918141

Phone : 65-65412426
AFS : WSSSYNYX
Fax : 65-65431826
Email :
caas_singaporeais@caas.gov.sg
Website:
http://www.caas.gov.sg

REFERENCE NO. WSSSYNYX
3/06
4TH APRIL 2006

THE FOLLOWING NOTAM WERE STILL VALID ON 31 MARCH 2006. NOTAM NOT INCLUDED HAVE BEEN CANCELLED, TIME EXPIRED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN AIP SINGAPORE.

SINGAPORE FIR A2686/B2686/C2733 20/12/05 ATS ROUTES

WITH EFFECT FROM 12220000 / PERMANENT, REFERENCE TO AIRAC AIP SUPPLEMENT 90/05, APPENDIX A, AMEND COLUMN 1 FOR RNAV ROUTE N502 TO READ AS FOLLOWS:

BOBAG
(R243 / 24 DME SJ)
010230N 1032954E
PARDI
003400S 1041300E
REST NO CHANGE.

SINGAPORE FIR A0298/B0298/C0305 6/2/06 AIP AMENDMENT

WITH EFFECT FROM 0602160000 / PERMANENT, REFERENCE TO AIP SINGAPORE PAGE ENR 1.8-3 PARAGRAPHS 1.6.2, 1.6.3 AND 1.6.4, AMEND 25NM TO READ AS 15NM. REST NO CHANGE.

SINGAPORE FIR A0410/B0410/C0419 20/2/06 ATFM

REFERENCE TO AIC 6/05, AMEND AS FOLLOWS:
PARAGRAPH 1.2 - CHANGE TENTATIVE DATE FOR IMPLEMENTATION OF THE AIR TRAFFIC FLOW MANAGEMENT (ATFM) OPERATIONAL TRIAL TO READ AS 6 JULY 2006;
PARAGRAPH 1.3 - CHANGE THE TIME TO READ AS BETWEEN 2000UTC AND 2400UTC.
REST NO CHANGE.
CANCEL NOTAM A2404/B2404/C2447 16/11/05.

SINGAPORE FIR A0650/B0650/C0662 21/3/06 DANGER AREA

BETWEEN 0000/1559 ON 27 MAR AND 30 MAR TO 2 APR WSD11A ACTIVE. DANGER HEIGHT FL125.

SINGAPORE FIR A0651/B0651/C0663 21/3/06 DANGER AREA

BETWEEN 0000/1559 ON 27 MAR AND 30 MAR TO 2 APR WSD11B ACTIVE. DANGER HEIGHT FL125.

SINGAPORE FIR KCQ1398/A0669/B0669/C0681 23/3/06 FIRING

BETWEEN 2300/1400 ON 26/27, 27/28 MAR, 03282300/03311400 AND 04010001/0500 FIRING WILL TAKE PLACE WITHIN WSD14/15/44/45. DANGER HEIGHT FL400.

SINGAPORE FIR KCQ1399/A0670/B0670/C0682 23/3/06 DANGER AREA

BETWEEN 2300/1400 ON 26/27, 27/28 MAR, 03282300/03311400 AND 04010001/0500 WSD20 ACTIVE. DANGER HEIGHT 2,000FT.

SINGAPORE FIR KCQ1400/A0671/B0671/C0683 23/3/06 FIRING

BETWEEN 0001/1100 ON 27 TO 31 MAR AND 04010001/0500 FIRING WILL TAKE PLACE WITHIN WSD8/12/13. DANGER HEIGHT FL400.

SINGAPORE FIR	KCQ1401/A0672/B0672/C0684	23/3/06	FIRING
=====			
BETWEEN 0001/1100 ON 27 TO 31 MAR AND 04010001/0500 FIRING WILL TAKE PLACE WITHIN WSD21. DANGER HEIGHT 2,000FT.			
SINGAPORE FIR	A0689/B0689/C0701	24/3/06	DANGER AREA
=====			
BETWEEN 0000/1559 ON 3 APR AND 6 TO 9 APR WSD11A ACTIVE. DANGER HEIGHT FL125.			
SINGAPORE FIR	A0690/B0690/C0702	24/3/06	DANGER AREA
=====			
BETWEEN 0000/1559 ON 3 APR AND 6 TO 9 APR WSD11B ACTIVE. DANGER HEIGHT FL125.			
SINGAPORE FIR	KCQ1471/A0707/B0707/C0719	28/3/06	FIRING
=====			
BETWEEN 0001/1100 ON 3 TO 7 APR AND 04080001/0500 FIRING WILL TAKE PLACE WITHIN WSD21. DANGER HEIGHT 2,000FT.			
SINGAPORE FIR	KCQ1472/A0708/B0708/C0720	28/3/06	FIRING
=====			
BETWEEN 0001/1100 ON 3 TO 7 APR AND 04080001/0500 FIRING WILL TAKE PLACE WITHIN WSD8/12/13. DANGER HEIGHT FL400.			
SINGAPORE FIR	KCQ1473/A0709/B0709/C0721	28/3/06	DANGER AREA
=====			
BETWEEN 2300/1400 ON 2/3, 3/4 APR, 04042300/04071400 AND 04080001/0500 WSD20 ACTIVE. DANGER HEIGHT 2,000FT.			
SINGAPORE FIR	KCQ1474/A0710/B0710/C0722	28/3/06	FIRING
=====			
BETWEEN 2300/1400 ON 2/3, 3/4 APR, 04042300/04071400 AND 04080001/0500 FIRING WILL TAKE PLACE WITHIN WSD14/15/44/45. DANGER HEIGHT FL400.			
SINGAPORE FIR	KCQ1491/A0716/B0716/C0728	29/3/06	AIR ACTIVITIES
=====			
BETWEEN 03312300/04011100 AIR ACTIVITIES WILL TAKE PLACE WITHIN 3NM RADIUS OF 011948N 1042424E. DANGER HEIGHT 2,000FT.			
SINGAPORE FIR	KCQ1495/A0721/B0721/C0733	29/3/06	AEROMODELLING
=====			
BETWEEN 04010200/0500 AEROMODELLING WILL TAKE PLACE WITHIN 0.5KM RADIUS OF 011615N 1033731E (WITHIN TENGAH ATZ). DANGER HEIGHT 1,000FT. ALL PILOTS TO EXERCISE CAUTION.			
SINGAPORE FIR	A0724/B0724/C0736	30/3/06	TRIGGER NOTAM
=====			
BETWEEN 05110000/05252359, TRIGGER NOTAM – PERMANENT, AIRAC AIP SUPPLEMENT 29/06 IMPLEMENTATION OF NEW RNAV (GNSS) SIDS AND STARS AND ESTABLISHMENT OF NEW REPORTING POINTS AND HOLDING AREAS.			
SINGAPORE FIR	KCQ1503/A0726/B0726/C0738	30/3/06	AIR ACTIVITIES
=====			
BETWEEN 04012300/04021100 AIR ACTIVITIES WILL TAKE PLACE WITHIN 3NM RADIUS OF 011948N 1042424E. DANGER HEIGHT 2,000FT.			
SINGAPORE FIR	KCQ1510/A0731/B0731/C0743	30/3/06	AEROMODELLING
=====			
BETWEEN 0500/1100 ON 1, 8, 15, 22, 29 APR, 2300/0100 ON 2/3, 6/7, 9/10, 16/17, 20/21, 23/24, 27/28 APR AND 0900/1100 ON 7, 21, 28 APR AEROMODELLING WILL TAKE PLACE WITHIN 500M RADIUS OF 0120.3N 10338.5E (WITHIN TENGAH ATZ). DANGER HEIGHT 500FT. ALL PILOTS ARE TO EXERCISE CAUTION.			

SINGAPORE FIR A0732/B0732/C0744 31/3/06 DANGER AREA

=====

BETWEEN 2300/1100 ON 1/2, 8/9, 13/14, 15/16, 22/23 AND 29/30 APR WSD4 ACTIVE.
DANGER HEIGHT FL160.

SINGAPORE FIR A0733/B0733/C0745 31/3/06 DANGER AREA

=====

BETWEEN 1100/1400 FROM 3 TO 7, 10 TO 14, 17 TO 21 AND 24 TO 28 APR WSD4 ACTIVE.
DANGER HEIGHT FL160.

SINGAPORE FIR A0745/B0745/C0757 31/3/06 FLIGHT TEST

=====

BETWEEN 04010400/1100 AND 04020030/1100 FLIGHT TEST OF NAVAIDS AND NEW PROCEDURES IN CHANGI / SELETAR / PAYA LEBAR WILL TAKE PLACE WITHIN 35NM RADIUS OF SINGAPORE CHANGI AERODROME REFERENCE POINT. DANGER HEIGHT 20,000FT. TEST WILL BE CONDUCTED IN VMC AND SUBJECT TO ATC CLEARANCE. ACFT TO EXPECT DELAY

SINGAPORE FIR A0746/B0746/C0758 31/3/06 DANGER AREA

=====

BETWEEN 0000/1559 ON 10 APR AND 13 TO 16 APR WSD11A ACTIVE. DANGER HEIGHT FL125.

SINGAPORE FIR A0747/B0747/C0759 31/3/06 DANGER AREA

=====

BETWEEN 0000/1559 ON 10 APR AND 13 TO 16 APR WSD11B ACTIVE. DANGER HEIGHT FL125.

SINGAPORE FIR KCQ1518/A0748/B0748/C0760 31/3/06 AIR ACTIVITIES

=====

BETWEEN 04022300/04031100 AIR ACTIVITIES WILL TAKE PLACE WITHIN 3NM RADIUS OF 011948N 1042424E. DANGER HEIGHT 2,000FT.

SINGAPORE CHANGI (WSSS) A0189/B0189/C0194 23/1/06 ACFT STAND

=====

WITH IMMEDIATE EFFECT / PERMANENT, REFERENCE TO AIP SINGAPORE PAGES WSSS AD 2-6.3 AND WSSS AD 2-6.4 SECTION WSSS AD 2.9 ITEMS 3 AND 4, ACFT TYPE B773 CAN BE PARKED AT ACFT STANDS E4, E5 AND F56.

SINGAPORE CHANGI (WSSS) A0405/B0405/C0414 17/2/06 ACFT STANDS

=====

WITH IMMEDIATE EFFECT / PERMANENT, REFERENCE TO AIP SUPPLEMENT 1/06 DATED 23 JAN, AMEND AS FOLLOWS:

- 1) PARAGRAPH 5.1(A) - DELETE 'A320 AND B737' AND INSERT 'B737 OR ACFT SMALLER THAN B737';
- 2) PARAGRAPH 5.1(B) - DELETE 'A320 ON ACFT STANDS 1 TO 10' AND INSERT 'B737 OR ACFT SMALLER THAN B737 ON ACFT STANDS 4 TO 9';
- 3) ANNEX A, COLUMN 3 - DELETE 'A320' AND INSERT 'B737 OR ACFT SMALLER THAN B737';
- 4) ANNEX B, COLUMN 2 - DELETE 'A320 ONLY' AND INSERT 'A320 OR ACFT SMALLER THAN A320 ONLY (OTHER ACFT SHALL COORDINATE WITH APRON CONTROL BEFORE PUSHBACK)'.
REST NO CHANGE.

SINGAPORE CHANGI (WSSS) A0472/B0472/C0481 28/2/06 PUSHBACK PROCEDURE

=====

BETWEEN 03040200/04010900 REVISED PUSHBACK PROCEDURE FOR ACFT STANDS 502 TO 506 AT WEST CARGO APRON: THE ACFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE SOUTH ONLY. PUSHBACK TO FACE NORTH IS NOT PERMITTED. PHRASEOLOGY USED BY SINGAPORE GROUND: PUSHBACK APPROVED, TO FACE SOUTH.

SINGAPORE CHANGI (WSSS) A0524/B0524/C0534 6/3/06 ACFT STANDS

=====

WITH IMMEDIATE EFFECT / PERMANENT, ACFT STANDS C2, C4 AND C6 CLOSED FOR ARRIVALS AND DEPARTURES.

SINGAPORE CHANGI (WSSS)	A0574/B0574/C0584	10/3/06	TWY
BETWEEN 0030/1100 FROM 20 MAR TO 15 MAY TWY EA BETWEEN TWY NC2 AND ACFT STAND 606 CLOSED DUE TO WORK IN PROGRESS.			
SINGAPORE CHANGI (WSSS)	A0575/B0575/C0585	10/3/06	TWY
BETWEEN 03200200/05150900 TWY N3 (BETWEEN TWY NC2 AND NC1) AND TWY NC1 (BETWEEN TWY N1 AND EA, AND BETWEEN TWY EA AND A7) CLOSED DUE TO WORK IN PROGRESS.			
SINGAPORE CHANGI (WSSS)	A0576/B0576/C0586	10/3/06	TWY
BETWEEN 03220200/04280900 TWY A1 BETWEEN TWY A6 AND A7 CLOSED DUE TO WORK IN PROGRESS.			
SINGAPORE CHANGI (WSSS)	A0577/B0577/C0587	10/3/06	TWY
BETWEEN 0200/0900 FROM 22 MAR TO 28 APR TWY A6 BETWEEN TWY NC3 AND ACFT STAND D47 CLOSED DUE TO WORK IN PROGRESS.			
SINGAPORE CHANGI (WSSS)	A0578/B0578/C0588	10/3/06	AIRPORT CLOSURE
BETWEEN 04300630/0730 AIRSPACE OF SINGAPORE CHANGI AIRPORT CLOSED DUE TO AIR DEFENCE EXERCISE "BERSAMA SHIELD 06". ACFT OPERATORS ARE ADVISED TO PLAN THEIR FLIGHTS TO ARRIVE AT AND DEPART FROM SINGAPORE CHANGI AIRPORT WELL BEFORE THE AIRPORT'S CLOSURE TIME.			
SINGAPORE CHANGI (WSSS)	A0611/B0611/C0621	14/3/06	TWY
WITH IMMEDIATE EFFECT / 04010900 TWY V3 INCLUDING TWY WP BETWEEN TWY W2 AND W3 CLOSED DUE TO WORK IN PROGRESS. ACFT EXITING RWY 02L FROM TWY W3 CAN TURN RIGHT ONTO TWY WP TOWARDS SOUTH. CANCEL NOTAM A0474/B0474/C0483 28/2.			
SINGAPORE CHANGI (WSSS)	A0616/B0616/C0626	16/3/06	AIRAC
NIL AIRAC FOR EFFECTIVE DATE 13 APR 06. REFERENCE TO AIC 7/05.			
SINGAPORE CHANGI (WSSS)	A0659/B0659/C0671	22/3/06	RWY
REFERENCE TO AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02C/20C CLOSURE BETWEEN 0315/0330, 0605/0630 AND 0825/0840 ON 1 APR CANCELLED.			
SINGAPORE CHANGI (WSSS)	A0661/B0661/C0673	22/3/06	TWY
REFERENCE TO AIP SUPPLEMENT 28/06, ANNEX A, S/N 1, A1 (BETWEEN TWY A6 AND A7) AND A6 (BETWEEN TWY NC3 AND ACFT STAND D47) CLOSURE BETWEEN 03311600/04180859 CANCELLED.			
SINGAPORE CHANGI (WSSS)	A0662/B0662/C0674	22/3/06	TWY
REFERENCE TO AIP SUPPLEMENT 28/06, ANNEX A, S/N 1 AND 2, NC1 (BETWEEN TWY N1 AND EA), NC1 (BETWEEN TWY EA AND A7) AND N3 (BETWEEN TWY NC1 AND NC2) CLOSURE BETWEEN 03311600/05160859 CANCELLED.			
SINGAPORE CHANGI (WSSS)	A0663/B0663/C0675	22/3/06	TWY
REFERENCE TO AIP SUPPLEMENT 28/06, ANNEX A, S/N 1 AND 2, EA (BETWEEN TWY NC2 AND EAST SERVICE APRON) CLOSURE DAILY BETWEEN 0200UTC AND 0900UTC FROM 31 MAR TO 16 MAY CANCELLED.			

SINGAPORE CHANGI (WSSS) A0698/B0698/C0710 27/3/06 LLZ

WITH IMMEDIATE EFFECT / 04050400 ESTIMATED RWY 02C LLZ, IDENTIFICATION ICE, 108.3MHZ, NOT TO BE USED BEYOND AZIMUTH 10 DEGREES LEFT OF RWY 02C CENTRELINE.

SINGAPORE CHANGI (WSSS) A0699/B0699/C0711 27/3/06 FLIGHT PLAN

WITH IMMEDIATE EFFECT / 07061159, A TRIAL WILL BE CONDUCTED TO ENHANCE AIR TRAFFIC FLOW MANAGEMENT AS WELL AS TO MAXIMISE THE ROUTE CAPACITY OVER THE BAY OF BENGAL AS FOLLOWS:

- 1) WESTBOUND FLIGHTS DEPARTING SINGAPORE CHANGI AND INTENDING TO EXIT DELHI FIR VIA SAMAR BETWEEN 1930/2230 SHOULD FLIGHT PLAN ON L515 M770 JJS VOR P646 BBN VOR LLK VOR R460W DPN VOR A466W SAMAR.
- 2) WESTBOUND FLIGHTS DEPARTING SINGAPORE CHANGI AND INTENDING TO EXIT DELHI FIR VIA TIGER BETWEEN 1930/2230 SHOULD FLIGHT PLAN ON L759 KKJ VOR L333 TIGER.
- 3) FL300 WILL BE ASSIGNED TO WESTBOUND FLIGHTS OPERATING ON M770, L759, P628 AND N877 WHEN AVAILABLE.

CANCEL NOTAM A2698/B2698/C2745 21/12/05

SINGAPORE CHANGI (WSSS) A0700/B0700/C0712 27/3/06 FLIGHT PLAN

WITH IMMEDIATE EFFECT / 07061159 TO FACILITATE AIR TRAFFIC CONTROL PLANNING AND AS WELL AS TO MAXIMISE THE ROUTE CAPACITY, WESTBOUND FLIGHTS OPERATING OVER THE BAY OF BENGAL INTENDING TO OPERATE ON ATS ROUTES L759, L515 / M770 AND P628, N571 / N877 AND P574 DEPARTING SINGAPORE BETWEEN 1430/1730 SHALL:

- A) SUBMIT FLIGHT PLANS BY 1300 AND AMENDMENTS TO THE FILED FLIGHT PLAN, IF ANY, SHALL BE REFILED BY 1400.
- B) FLIGHT PLAN OPERATING DURING THIS PERIOD SHALL BE ADDRESSED TO VTBBZRZX, WMFCZQZX AND WSJCZRZX.
- C) FLIGHT LEVEL MAY BE ALLOCATED AS APPROPRIATE TO THE TRAFFIC SITUATION.
- D) MACH NUMBER TECHNIQUE MAY BE REQUIRED BY AIR TRAFFIC CONTROL.
- E) MACH NUMBER REQUIREMENT ON ATS ROUTE L759 SHOULD BE AS FOLLOWS:
FL280 - M082 (INDICATED AIRSPEED 320 KNOTS) OR GREATER;
FL300 - M083 OR GREATER.

CANCEL NOTAM A2699/B2699/C2746 21/12/05.

SINGAPORE CHANGI (WSSS) A0712/B0712/C0724 29/3/06 RWY

REFERENCE TO AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02L/20R CLOSURE BETWEEN 0250/0305, 0530/0555 AND 0800/0815 ON 8 APR CANCELLED.

SINGAPORE CHANGI (WSSS) A0714/B0714/C0726 29/3/06 LIGHTS

WITH IMMEDIATE EFFECT / PERMANENT, FIXED YELLOW LIGHTS (ACFT STAND MANOEUVRING GUIDANCE LIGHTS: ASMGL) ARE PROVIDED ALONG ACFT STANDS 4 TO 9 LEAD-IN MARKING WITH ONE FIXED RED LIGHT NEAR THE ACFT NOSE GEAR STOPPING POSITION AT THE BUDGET TERMINAL APRON.

SINGAPORE CHANGI (WSSS) A0717/B0717/C0729 29/3/06 SID

WITH EFFECT FROM 05110000 / PERMANENT, REFERENCE TO AIRAC AIP SUPPLEMENT 29/06, AMEND AS FOLLOWS:

- PAGE 5 PARAGRAPH 3.8.2 - DELETE IN TOTO;
PAGE 5, PARAGRAPHS 3.8.3 AND 3.8.4 - RENUMBER AS 3.8.2 AND 3.8.3 RESPECTIVELY.
ANNEXES C1 TO C13, UNDER GENERAL INFORMATION, PARAGRAPH 3 ON SPEED RESTRICTION - DELETE IN TOTO.
ANNEXES E1 TO E17, COLUMN 7 SPEED CONSTRAINT - DELETE IN TOTO.
REST NO CHANGE.

SINGAPORE CHANGI (WSSS) A0718/B0718/C0730 29/3/06 RWY

REFERENCE TO AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, AMEND SCHEDULED CLOSURE TO READ AS FOLLOWS:

- 1) RWY 02C/20C ON 04031745/1915 WILL BE CHANGED TO 04031700/1830; AND
- 2) RWY 02L/20R ON 04031945/2115 WILL BE CHANGED TO 04032015/2130.

SINGAPORE CHANGI (WSSS) A0719/B0719/C0731 29/3/06 ADGS

BETWEEN 04021601/04101559 THE ACFT DOCKING GUIDANCE SYSTEM (ADGS) AT ACFT STAND E24 WILL NOT BE OPERATIONAL FOR FLIGHT DOCKING. MARSHALLER WILL BE DEPLOYED TO MANUALLY GUIDE ACFT TO PARK AT ACFT STAND E24.

SINGAPORE CHANGI (WSSS) A0725/B0725/C0737 30/3/06 CRANE

BETWEEN 04010001/04302359 ONE CRANE, HEIGHT 52.5M AMSL, ERECTED AT 012013N 1035750E (BEARING 229 DEGREES DISTANCE 2.16NM FROM SINGAPORE CHANGI AERODROME REFERENCE POINT). CRANE MARKED AND LIGHTED.

SINGAPORE CHANGI (WSSS) A0727/B0727/C0739 30/3/06 ADGS

WITH IMMEDIATE EFFECT / 04300359 AIRCRAFT DOCKING GUIDANCE SYSTEM (ADGS) AT ACFT STAND D41 NOT AVAILABLE FOR FLIGHT DOCKING. MARSHALLER WILL BE DEPLOYED TO MANUALLY GUIDE AIRCRAFT TO PARK AT ACFT STAND D41. CANCEL NOTAM A0537/B0537/C0547 7/3.

SINGAPORE CHANGI (WSSS) A0736/B0736/C0748 31/3/06 TWY

BETWEEN 04010200/0900 TWY WP FROM V3 TO W1 CLOSED DUE TO WORK IN PROGRESS.

SINGAPORE CHANGI (WSSS) A0737/B0737/C0749 31/3/06 TWY

BETWEEN 04010200/0900 JUNCTION OF TWY W9 / WP CLOSED DUE TO WORK IN PROGRESS.

SINGAPORE CHANGI (WSSS) A0738/B0738/C0750 31/3/06 MOVEMENT AREA

BETWEEN 04050200/0900 TWY U1 BEHIND ACFT STANDS C1 AND C2 CLOSED DUE TO WORK IN PROGRESS. ACFT STANDS C1 AND C2 CLOSED.

SINGAPORE CHANGI (WSSS) A0739/B0739/C0751 31/3/06 TWY

BETWEEN 04031700/2300 JUNCTION OF TWY A4 / EP CLOSED DUE TO WORK IN PROGRESS.

SINGAPORE CHANGI (WSSS) A0740/B0740/C0752 31/3/06 MOVEMENT AREA

BETWEEN 04070200/0900 JUNCTION OF TWY C3 / C6 BEHIND ACFT STANDS F60 AND 203 CLOSED DUE TO WORK IN PROGRESS. ACFT STANDS F60 AND 203 CLOSED.

SINGAPORE CHANGI (WSSS) A0741/B0741/C0753 31/3/06 TWY

BETWEEN 04030200/0900 JUNCTION OF TWY WP / W8 / V8 CLOSED DUE TO WORK IN PROGRESS.

SINGAPORE CHANGI (WSSS) A0742/B0742/C0754 31/3/06 MOVEMENT AREA

BETWEEN 04051700/2300 JUNCTION OF TWY A6 / A5 BEHIND ACFT STANDS E20, E22, E24, E10, E11 AND E12 CLOSED DUE TO WORK IN PROGRESS. ACFT STANDS E20, E22, E24, E10, E11 AND E12 CLOSED.

SINGAPORE CHANGI (WSSS) A0743/B0743/C0755 31/3/06 TWY

BETWEEN 04070200/0900 JUNCTION OF TWY WA / VY CLOSED DUE TO WORK IN PROGRESS.

SINGAPORE CHANGI (WSSS) A0744/B0744/C0756 31/3/06 TWY

BETWEEN 04080200/0900 TWY EP FROM E8 TO E11 CLOSED DUE TO WORK IN PROGRESS.

SINGAPORE CHANGI (WSSS) A0752/B0752/C0764 31/3/06 TWY

BETWEEN 04011800/2200 TWY NC2 BETWEEN TWY N1 AND N3 CLOSED DUE TO COMPASS SWING ACTIVITY.

PAYA LEBAR (WSAP) KCQ11455/A2557/B2557/C2604 8/12/05 TACAN

WITH IMMEDIATE EFFECT / 0604301559 RWY 02 TACAN STEP-DOWN FIX AT 5 DME WILL BE RAISED FROM 1,060FT AMSL TO 1,120 FT AMSL.

PAYA LEBAR (WSAP) KCQ0911/A0424/B0424/C0433 22/2/06 EQUIPMENT

WITH IMMEDIATE EFFECT / 04091559 BIRD REPELLENT EQUIPMENT (BICO), HEIGHT 9.9FT, DEPLOYED BETWEEN TWY W3 AND W4 AND SOUTH OF TWY W6 GRASS PATCHES. PILOTS TO EXERCISE CAUTION. CANCEL NOTAM A0068/B0068/C0069 9/1.

PAYA LEBAR (WSAP) KCQ1351/A0647/B0647/C0659 20/3/06 TOWER CRANES

WITH IMMEDIATE EFFECT / 0706301559 FOUR TOWER CRANES, HEIGHT 83M AMSL, ERECTED AT 012312N 1035345E (BEARING 332 DEGREES, DISTANCE 1.8NM FROM PAYA LEBAR AERODROME REFERENCE POINT). TOWER CRANES MARKED AND LIGHTED.

PAYA LEBAR (WSAP) KCQ1493/A0720/B0720/C0732 29/3/06 TACAN

BETWEEN 1500/2200 ON 3 TO 6, 10 TO 13, 17 TO 20, 24 TO 27 APR, 04011500/04022200, 04071500/04092200, 04141500/04162200, 04211500/04232200 AND 04281500/04302200 PLA CH110X RWY 02 NOT AVAILABLE.

PAYA LEBAR (WSAP) KCQ1497/A0722/B0722/C0734 29/3/06 TWY

BETWEEN 0001/1100 FROM 30 MAR TO 9 APR TWY BETWEEN W4 AND W5 CLOSED DUE TO WORK IN PROGRESS. WORK AREA DEMARCATED BY HOARDING, HEIGHT 1.2M, AND LIGHTED AT NIGHT. EXCAVATOR, HEIGHT 6M, IN USE. PILOTS TO EXERCISE CAUTION.

PAYA LEBAR (WSAP) KCQ1494/A0723/B0723/C0735 30/3/06 LUFFER CRANES

BETWEEN 1500/2200 ON 3 TO 6, 10 TO 13, 17 TO 20, 24 TO 27 APR, 04011500/04022200, 04071500/04092200, 04141500/04162200, 04211500/04232200 AND 04281500/04302200 THREE LUFFER CRANES, HEIGHT 293M AMSL, ERECTED AT 011642N 1035105E (BEARING 216 DEGREES DISTANCE 6.2NM FROM PAYA LEBAR AERODROME REFERENCE POINT). LUFFER CRANES MARKED AND LIGHTED. REMARK /OUTSIDE THE ABOVE TIMING, THE LUFFER CRANES WILL OPERATE AT HEIGHT 265M AMSL.

PAYA LEBAR (WSAP) KCQ1533/A0749/B0749/C0761 31/3/06 ILS

BETWEEN 04020001/0900 RWY 20 ILS OFF THE AIR FOR MONTHLY SERVICING.

PAYA LEBAR (WSAP) KCQ1534/A0750/B0750/C0762 31/3/06 AWOS

BETWEEN 04010001/0500 AUTOMATIC WEATHER OBSERVATION SYSTEM (AWOS) OFF THE AIR FOR MONTHLY SERVICING.

PAYA LEBAR (WSAP) KCQ1535/A0751/B0751/C0763 31/3/06 FREQUENCY

WITH IMMEDIATE EFFECT / 04071100 ADDITIONAL PAYA LEBAR TOWER / GROUND VHF 121.7MHZ INSTALLED FOR TRIAL OPERATION. CANCEL NOTAM A0658/B0658/C0670 21/3.

BETWEEN 04021000/2200 APRON AREA BETWEEN ACFT STANDS A1 AND A5 CLOSED DUE TO WORK IN PROGRESS. REMARK / APRON CENTRELINE BETWEEN ACFT STANDS A1 AND A5 NOT AVAILABLE FOR ACFT OPERATIONS.

LATEST AIP AMENDMENT ISSUED: 1/06 16 FEB 06

LATEST AIP SUPPLEMENT ISSUED: 29/06 2 MAR 06

LATEST AIC ISSUED: 1/06 20 MAR 06

CURRENT AIP SUPPLEMENTS:

2005 – 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 116, 117, 118, 119, 120 AND 129.

2006 – 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15,16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 AND 29.

AIP SUPPLEMENTS CANCELLED SINCE LAST CHECKLIST:

2005 – 87, 88, 89, 92, 93, 94, 95, 102, 113, 114, 115, 121, 122, 123, 124, 125, 127, 128 AND 130.

2006 – 7.