

NOTAM LIST

Telephone: 65-65956051
AFS: WSSSYNYX
Facsimile: 65-65431826
caas_singaporeais@caas.gov.sg
www.caas.gov.sg

REPUBLIC OF SINGAPORE
AERONAUTICAL INFORMATION SERVICES
CIVIL AVIATION AUTHORITY OF SINGAPORE
SINGAPORE CHANGI AIRPORT
P.O. BOX 1, SINGAPORE 918141

REFERENCE NO. WSSSYNYX
04/15
01 April 2015

THE FOLLOWING NOTAM A SERIES ARE **STILL IN FORCE ON 01 April 2015 00:40:09 UTC**. NOTAM NOT INCLUDED IN THIS LIST HAVE EITHER BEEN CANCELLED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN AIP.

ENROUTE / GENERAL

WSJC(SINGAPORE FIR)

A0608/15 NOTAMR A0404/15

From 1504010003 to 1505010003 EST
CHECKLIST YEAR=2014 0995 0996 0997 0998 1022 1034 1131 1144 1291 1975 1976 2358 2590 2591 2592 2593 2594 YEAR=2015 0133 0154 0158 0163 0184 0185 0186 0187 0204 0237 0322 0324 0346 0358 0359 0369 0403 0405 0423 0425 0451 0460 0461 0464 0485 0486 0487 0491 0509 0522 0523 0524 0528 0532 0533 0534 0535 0536 0537 0538 0539 0540 0541 0542 0543 0546 0547 0549 0550 0554 0555 0558 0559 0561 0562 0563 0564 0565 0566 0568 0569 0572 0573 0574 0575 0576 0578 0579 0591 0592 0593 0594 0595 0597 0598 0600 0601 0602 0603 0604 0605 0606 0607 LATEST PUBLICATIONS AIP AMENDMENT: 2/15 5 MAR 15 AIP SUPPLEMENT: 45/15 19 Feb 15 AIC: 1/15 2 Jan 15

A0603/15

From 1504040500 to 1504260830
APR 04 11 18 25 0500-0900 05 12 19 26 0130-0830 AEROMODELLING WILL TAKE PLACE WI 459.3FT RADIUS OF 011838N 1033732E (WI WSAT ATZ). ALL PILOTS ARE TO EXERCISE CAUTION.

Lower Limit: GND **Upper Limit:** 200FT AGL

A0600/15

From 1504010001 to 1504010300
PJE WILL TAKE PLACE WI 0127.0N10343.8E 0126.3N10345.6E 0122.0N10345.3E 0118.7N10344.1E 0121.0N10338.5E 0126.0N10341.1E (WI WSAT ATZ).THE AREA WILL BE CLOSED TO ALL OPERATIONS.

Lower Limit: GND **Upper Limit:** 10000FT AGL

A0598/15

From 1504011145 to 1504301320
APR 01-30 1145-1220 1240-1320 PYROTECHNIC DISPLAY WILL TAKE PLACE WI 99FT SAFETY RADIUS OF 011503.07N1034859.99E(WI WSAP CTR)

Lower Limit: GND **Upper Limit:** 99FT AGL

A0597/15

From 1504022300 to 1504031100
WSD4 (P.PAWAI/P.SENANG) ACT

Lower Limit: SFC **Upper Limit:** FL160

A0595/15

From 1504030100 to 1504260700
APR 03 04 05 11 12 18 19 26 0100-0700 AEROMODELLING WILL TAKE PLACE WI 0.3NM RADIUS OF 012532N 1034745E (WI WSAG ATZ).

Lower Limit: GND **Upper Limit:** 200FT AGL

A0594/15

From 1504170001 to 1504170300
PJE WILL TAKE PLACE WITHIN THE LATERAL LIMIT OF WSAG ATZ. WSAG ATZ WILL BE CLOSED DUE TO PJE. JUMP IN VMC AND CLEAR OF CONTROLLED AIRSPACE

Lower Limit: GND **Upper Limit:** 3000FT AGL

A0593/15

From 1504011100 to 1504301500
APR 01-02 06-10 13-17 20-24 27-30 1100-1500 WSD4 (P.PAWAI/P.SENANG) ACT

Lower Limit: SFC **Upper Limit:** FL160

A0592/15

From 1504042300 to 1504261100
APR 04 11 18 25 2300-2359 05 12 19 26 0000-1100 WSD4 (P.PAWAI/P.SENANG) ACT

Lower Limit: SFC **Upper Limit:** FL160

A0591/15

From 1503310900 to 1506300900
KK NDB 286KHZ UNSERVICEABLE.

A0573/15

From 1504060000 to 1504121700
APR 06 10 11 12 0000-1700 WSD11B ACT

Lower Limit: SFC **Upper Limit:** FL125

A0572/15

From 1504060000 to 1504121700
APR 06 10 11 12 0000-1700 WSD11A ACT.

Lower Limit: SFC **Upper Limit:** FL125

A0569/15

From 1504150001 to 1504150200
AERIAL PHOTOGRAPHY BY REMOTE CONTROLLED AIRCRAFT WILL TAKE PLACE WI SAFETY RADIUS 196.85FT OF 012245N 1033947E (WI WSAT ATZ).

Lower Limit: SFC **Upper Limit:** 200FT MSL

A0568/15

From 1504150001 to 1504150200
AERIAL PHOTOGRAPHY BY REMOTE CONTROL ACFT WILL TAKE PLACE WI SAFETY RADIUS 196.85FT OF 012003N 1034016E (WI WSAT ATZ).

Lower Limit: SFC **Upper Limit:** 200FT MSL

A0550/15

From 1503260935 to 1504230330
JB NDB 400KHZ UNSERVICEABLE

A0549/15

From 1503292300 to 1504040500
MAR 29-31 2300-2359 30 31 0000-1559, APR 01 02 0000-2359 03 0000-1559 04 0001-0500 FIRING WILL TAKE PLACE WI WSD14/15/44/45

Lower Limit: SFC **Upper Limit:** FL550

A0547/15

From 1503292300 to 1504040500
MAR 29-31 2300-2359 30 31 0000-1559 APR 01 02 0000-2359 03 0000-1559 04 0001-0500 WSD20 ACT

Lower Limit: SFC **Upper Limit:** 2000FT MSL

A0546/15

From 1503300001 to 1504040500
MAR 30-31 APR 01-03 0001-1100 04 0001-0500 FIRING WILL TAKE PLACE WI WSD13

Lower Limit: SFC **Upper Limit:** FL400

A0533/15

From 1504011000 to 1504301545
APR 01-30 1000-1545 PYROTECHNIC DISPLAY WILL TAKE PLACE WI 0.04NM SAFETY RADIUS OF 011531.13N 1034918.88E(WI WSAP CTR).

Lower Limit: GND **Upper Limit:** 220FT AGL

A0532/15

From 1504010030 to 1504301545
APR 01-30 0030-1545 PYROTECHNIC DISPLAY WILL TAKE PLACE WI 0.03NM SAFETY RADIUS OF 011511.71N 1034931.70E(WI WSAP CTR).

Lower Limit: GND **Upper Limit:** 170FT AGL

A0524/15

From 1503300000 to 1504051700
MAR 30 0000-1700 APR 02-05 0000-1700 WSD11B ACT.

Lower Limit: SFC **Upper Limit:** FL125

A0523/15

From 1503300000 to 1504051700
MAR 30 0000-1700 APR 02-05 0000-1700 WSD11A ACT.

Lower Limit: SFC **Upper Limit:** FL125

A0522/15

From 1504030001 to 1504031000
A MINI UNMANNED AERIAL VEHICLE OPERATING WI 012221N1033935E 012221N1034012E 012132N1034012E 012132N1033935E (WI WSAT ATZ). ALL PILOTS ARE TO EXERCISE CAUTION.

Lower Limit: GND **Upper Limit:** 200FT AGL

A0509/15 NOTAMR A0146/15

From 1503190440 to 1504111559EST
RESTRICTED AIRSPACE WI 0.6NM RADIUS OF 012119N1034057E (WI WSAT ATZ).

Lower Limit: SFC **Upper Limit:** 5500FT MSL

A0403/15

From 1503020100 to 1504011300
MAR 02-APR 01 0100-0300 1200-1300 FIRING WILL TAKE PLACE WI AREA BOUNDED BY 101313N1142011E THENCE ALONG THE SINGAPORE-MANILA FIR BOUNDARY TO 100955N1142409E, THENCE AN ARC OF A CIRCLE OF RADIUS 5000M CENTRED ON 101054N1142136E TO 101313N1142011E AND WI 5000M RADIUS OF: 1) 083830N1115555E 2) 095300N1141900E 3) 095418N1143342E 4) 075210N1125410E 5) 085606N1122054E 6) 085806N1134154E 7) 100342N1135106E 8) 084842N1135900E 9) 084942N1125348E 10) 085100N1121100E 11) 081000N1131800E 12) 084236N1141106E 13) 094613N1141525E 14) 094648N1142212E 15) 084042N1114012E 16) 085118N1143918E

Lower Limit: SFC **Upper Limit:** 2400 FT MSL

A2594/14

From 1412290535 to PERM
REFERENCE TO AIP SINGAPORE PAGE WSSS AD 2-17, UNDER APP- DELETE IN TOTO LOCATIONS OF ASR I AND ASR II RADAR HEADS.

A2593/14

From 1412290535 to PERM
REFERENCE TO AIP SINGAPORE PAGE WSSS AD 2-17, UNDER ACC-DELETE IN TOTO LOCATION OF RADAR HEAD 012322.70N 1035859.23E AND EMISSION A3.

A2592/14

From 1412290529 to PERM
REFERENCE TO AIP SINGAPORE PAGE ENR 1.8-24, PARAGRAPH 7.1.1 B), DELETE IN TOTO.

A2591/14

From 1412290525 to PERM
REFERENCE TO AIP SINGAPORE PAGE ENR 1.8-24 PARAGRAPH 7.1.1 A), AMEND TO READ AS ACFT MUST CARRY SERVICEABLE ADS-B TRANSMITTING EQUIPMENT THAT HAS BEEN CERTIFIED AS MEETING EASA AMC 20-24, OR FAA AC NO. 20-165A-AIRWORTHINESS APPROVAL OF ADS-B, OR MEETS THE EQUIPMENT CONFIGURATION STANDARDS IN APPENDIX XI OF CIVIL AVIATION ORDER 20.18 OF THE CIVIL AVIATION SAFETY AUTHORITY OF AUSTRALIA.

AERODROMES

WSSL(SELETAR)

A0540/15

From 1503251100 to 1504101100
HELICOPTER LANDING AREA CLOSED DUE WIP.

A0163/15

From 1501270606 to PERM
ORANGE FRANGIBLE POSTS, HGT 0.60M, INSTALLED AT THE AIRSIDE TURF AREA AT 90M FROM BOTH SIDES OF THE RWY TO DEMARCAT THE BOUNDARY FOR GRASS CUTTING AND OTHER MAINTENANCE ACTIVITIES ON THE TURF AREA.

A2358/14

From 1412052300 to PERM
REFERENCE TO AIP SINGAPORE PAGE WSSL AD 2-3-1 SECTION WSSL AD 2.9, ROW 3 FOR STOP BARS, INSERT- CRASH ALARM STOP BARS:RED LIGHT ACROSS JUNCTIONS OF EP, EC4 AND EH2 TWY, FLUSHED WITH TWY SURFACE. (NOTE TO PILOTS AND TOW-CREW:SLOW DOWN WHEN TAXIING/TOWING ON TWY EP BETWEEN TWY EC4 AND ABEAM THE CONTROL TOWER. KEEP A LOOKOUT FOR EMERGENCY VEHICLES THAT MAY CROSS THE TAXIWAY TO RESPOND TO EMERGENCY ON THE RUNWAY).

WSAP(PAYA LEBAR)

A0602/15

From 1504071500 to 1504072000
A MOBILE CRANE, HGT 250FT AMSL, ERECTED AT 011907.80N 1035333.40E (BEARING 195.4 DEGREES, DISTANCE 2.30NM FROM WSAP ARP). CRANE WILL BE MARKED AND LIGHTED.

A0559/15

From 1503312300 to 1704011659
SIX TOPLESS TOWER CRANE HGT 280FT AMSL, ERECTED AT 012031.40N 1035238.30E (BEARING 241.8 DEGREES, DISTANCE 1.73NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

A0555/15

From 1503311600 to 1504301559
WILDLIFE NETTINGS MOUNTED ON POLES, 1M IN HEIGHT, DEPLOYED BTN TWY W5-W6, E3-E4, E6-E7 GRASS PATCHES, 40M FROM RWY EDGE. PILOT TO EXERCISE CAUTION

A0554/15

From 1503311600 to 1504301559
SILVER STRIPS MOUNTED ON WOODEN POLES, 2M IN HEIGHT, DEPLOYED BTN TWY W2-W3,W5-W6,E2-E3,E6-E7 GRASS PATCHES, 40M FROM RWY EDGE. PILOTS TO EXERCISE CAUTION

A0487/15

From 1503312300 to 1704011559
FOUR TOPLESS CRANE, HGT 402.6FT AMSL, ERECTED AT 012000.90N1035120.50E (BEARING 244.8DEGREES, DISTANCE 3.12NM FROM WSAP ARP-WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0486/15

From 1503312300 to 1803311559
TWO TOWER CRANE, HGT 277.2FT AMSL, ERECTED AT 012226.60N1035410.20E (BEARING 001 DEGREES, DISTANCE 1.10NM FROM WSAP ARP-WI WSAP CTR).

CRANES MARKED AND LIGHTED AT NIGHT.

A0485/15

From 1503152300 to 1805011559
SIX SADDLE CRANES, HGT 278FT AMSL, ERECTED AT 012226.60N1035410.20E (BEARING 001 DEGREE, DISTANCE 1.10NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0464/15

From 1503101250 to 1712311559
TWO TOPLESS CRANES AND ONE LUFFER CRANE, HGT 277.2FT AMSL, ERECTED AT 011944.00N1035209.30E (BEARING 231.3 DEGREES, DISTANCE 2.58NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0461/15

From 1503162300 to 1603231559
THREE CRAWLER CRANES, HGT 277.2FT AMSL, ERECTED AT 011941.50N1035518.10E (BEARING 145.5 DEGREES, DISTANCE 2.00NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT

A0460/15

From 1503112300 to 1505311559
TWO LUFFER CRANES, HGT 244.2FT AMSL, ERECTED AT 012118.65N1035315.40E (BEARING 268 DEGREES, DISTANCE 0.91NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0451/15

From 1503102300 to 1512311559
ONE CRAWLER TOWER CRANE, HGT 234.4FT AMSL, ERECTED AT 012042.50N1035555.20E (BEARING 109.9DEGREES, DISTANCE 1.86NM FROM WSAP ARP-WI WSAP CTR). CRANE MARKED AND LIGHTED AT NIGHT.

A0423/15

From 1503131600 to 1611141559
ONE LUFFER CRANE, HGT 469FT AMSL, WILL BE ERECTED AT 011633N1035057E (BEARING 213.8 DEGREES, DISTANCE 5.76NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0369/15 NOTAMR A0202/15

From 1502260157 to 1506301559
RWY20 SEQUENCED FLASHING LIGHTS NOT AVAILABLE.

A0346/15

From 1502230900 to 1509301559
THREE TOPLESS CRANES, HGT 393.6FT AMSL, ERECTED AT 011848.24N1035215.0E (BEARING 217 DEGREES, DISTANCE 3.18NM FROM WSAP ARP-WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0322/15

From 1502172300 to 1512311559
ONE CRAWLER CRANE, HGT 228FT AMSL, ERECTED AT 012416.30N1035440.10E (BEARING 9.7 DEGREES, DISTANCE 2.97NM FROM WSAP ARP-WI WSAP CTR.) CRANE MARKED AND LIGHTED AT NIGHT.

A0237/15

From 1502080001 to 1702281559
ONE LUFFER CRANE, HGT 312 FT AMSL, ERECTED AT 012303.20N 1035327.60E (BEARING 337.5 DEGREES, DISTANCE 1.85NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0158/15

From 1501312300 to 1608011559
ONE LUFFER CRANE, HGT 528FT AMSL, ERECTED AT 011904.20N1035107.30E (BEARING 233.3 DEGREES, DISTANCE 3.80NM FROM WSAP ARP). CRANE MARKED AND LIGHTED AT NIGHT.

A2590/14

From 1412271015 to 1801071559
TWO HYDRAULIC CRAWLERS CRANES, HGT 277.2FT AMSL, ERECTED AT 012328.80N1035334.00E (BEARING 344.3 DEGREES, DISTANCE 2.22NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A1144/14

From 1406142300 to 1712311559
TWO HAMMERHEAD CRANES, HGT 277.2FT AMSL, ERECTED AT 012111.35N1035548.65E (BEARING 95.4 DEGREES, DISTANCE 1.65NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A1131/14 NOTAMR A1109/14

From 1406110053 to 1506301559
FOUR LUFFER CRANES, HGT 700FT AMSL, ERECTED AT 011744N1034834E (BEARING 237.3 DEGREES, DISTANCE 6.64NM FROM WSAP ARP-WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A1034/14

From 1405312300 to 1606011559
ONE MOBILE CRANE, HGT 213.12FT AMSL, ERECTED AT 012007.30N1035325.14E (BEARING 211.5DEGREES, DISTANCE 1.43NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANE MARKED AND LIGHTED AT NIGHT.

A1022/14

From 1406010001 to 1612011559
TWO LUFFER CRANES, HGT 277.2FT AMSL, WILL BE ERECTED AT 011857.57N 1035238.92E (BRG/RANGE: 212.5DEG/2.83NM FROM WSAP ARP-WI WSAP CTR). CRANES WILL BE MARKED AND LIGHTED AT NGT.

A0998/14

From 1405311601 to 1606301559
ONE TOWER CRANE, HGT 149.85FT AMSL, ERECTED AT 012155.29N1035428.96E (BEARING 28.7 DEGREES, DISTANCE 0.66NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR).CRANES MARKED AND LIGHTED AT NIGHT.

A0997/14

From 1405312300 to 1712311559
ONE LUFFER CRANE, HGT 279.72FT AMSL, ERECTED AT 012057.57N1035238.11E (BEARING 255.9 DEGREES, DISTANCE 1.58NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0996/14

From 1405312300 to 1706011559
THREE TOPLESS CRANE, HGT 279.72FT AMSL, ERECTED AT 012233.24N1035253.51E (BEARING 313.5 DEGREES, DISTANCE 1.76NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0995/14

From 1405312300 to 1606011559
NINE LUFFER CRANES, HGT 416.25FT AMSL, ERECTED AT 012343.78N1035336.49E (BEARING 346.8 DEGREES, DISTANCE 2.45NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

WSSS(SINGAPORE / SINGAPORE CHANGI INTL)**A0607/15**

From 1504010000 to 1504301200
APR 01-30 0000/1200 ACFT STAND 17 CLOSED DUE TO WIP.

A0606/15

From 1504010000 to 1504301200
APR 1-30 0000/1200 ACFT STAND 6 CLOSED DUE TO WIP.

A0605/15

From 1504010000 to 1504301200
APR 1-30 0000/1200 ACFT STAND 4 CLOSED DUE TO WIP.

A0604/15

From 1504010000 to 1504301200
APR 01-30 0000-1200 ACFT STAND 2 CLOSED DUE TO WIP.

A0601/15

From 1504010200 to 1504010300
TAXILANE N2 BEHIND ACFT STAND C15 CLOSED DUE TO WIP.

A0579/15 NOTAMR A2581/14

From 1503271251 to 1506302359EST
8 CRANES, HGT 64M, WILL BE MOBILISED WI AN AREA BOUNDED BY THE FOLLOWING COORDINATES: 012009.2556N1035853.1560E 012006.2794N1035900.1175E 012030.8538N1035910.7384E 012000.4910N1035905.2448E 012031.9387N1035904.7785E 012030.3787N1035908.5932E 012025.2734N1035906.4458E 012029.0063N1035857.7030E 012028.2333N1035855.5698E 012020.3383N1035852.2561E 012018.4050N1035852.4510E (BEARING 172 DEGREES, DISTANCE 1.03NM FROM WSSS ARP- WI WSSS CTR). CRANES MARKED AND LIGHTED AT NIGHT

A0578/15

From 1503310200 to 1505040800
MAR 31-MAY 04 0200-0800 TWY V3 AND TWY WC, BEHIND ACFT STANDS 505 TO 509, CLOSED DUE TO WIP.

A0576/15

From 1503310200 to 1505040800
MAR 31-MAY 04 0200-0800 REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 504 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE SOUTH ONLY. THE AIRCRAFT SHALL THEN BE TOWED FORWARD UNTIL ITS NOSEWHEEL IS AT THE 'EOT 1' POSITION. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY SINGAPORE GROUND 'STANDARD PUSHBACK APPROVED'.

A0575/15

From 1503310200 to 1505040800
MAR 31-MAY 04 0200-0800 REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 503 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE SOUTH ONLY. THE AIRCRAFT SHALL THEN BE TOWED FORWARD UNTIL ITS NOSEWHEEL IS AT THE 'EOT 1' POSITION. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY SINGAPORE GROUND 'STANDARD PUSHBACK APPROVED'.

A0574/15

From 1503310200 to 1505040800
MAR 31-MAY 04 0200-0800 REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 502 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE SOUTH ONLY. THE AIRCRAFT SHALL THEN BE TOWED FORWARD UNTIL ITS NOSEWHEEL IS AT THE 'EOT 1' POSITION. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY SINGAPORE GROUND 'STANDARD PUSHBACK APPROVED'.

A0566/15

From 1504101700 to 1504102300
TWY EP BTN TWY L9 AND E11 CLOSED DUE TO WIP.

A0565/15

From 1504091700 to 1504092230
TWY EP BTN TWY SC2 AND L7 CLOSED DUE TO WIP. (RMK/BOTH JUNCTION NOT AFFECTED)

A0564/15

From 1504031700 to 1504032300
TWY WP BTN TWY V3 AND W1 CLOSED DUE TO WIP

A0563/15

From 1504031700 to 1504032230
TWY JUNCTION WA/SC1 BTN TWY V8 AND SC2 CLOSED DUE TO WIP. (RMK/BOTH JUNCTION NOT AFFECTED)

A0562/15

From 1504071700 to 1504072230
TWY JUNCTION WA/U2 BTN TWY V7 AND V8 INCLUDING ACFT STANDS A14 TO A16 CLOSED DUE TO WIP. (RMK/BOTH JUNCTION NOT AFFECTED).

A0561/15

From 1504010200 to 1504010830
TWY JUNCTION WA/V7 BTN U2/WA (NORTH) AND U2/WA (SOUTH) CLOSED DUE TO WIP. (RMK/BOTH JUNCTION NOT AFFECTED)

A0558/15

From 1504010200 to 1504021000
APR 01 02 0200-1000 TWY SC2 FROM W10 TO C6 CLOSED DUE TO WIP.

A0543/15

From 1504032315 to 1504032330
RWY 02C/20C CLOSED.

A0542/15

From 1504032300 to 1504032305
RWY 02L/20R CLOSURE BTN 2300/2305 ON 03 APR CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

A0541/15

From 1504031720 to 1504032325
RWY 02C/20C CLOSURE BTN 1720/1730, 1930/2100 AND 2320/2325 ON 03 APR CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

A0539/15

From 1504012320 to 1504302325
RWY 02C/20C CLOSURE BTN 2320/2325 ON APR 1-2 4-6 8-9 12-13 15-19 21 23-26 30 CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

A0538/15

From 1504012315 to 1504302330
APR 1-2 4-6 8-9 12-13 15-19 21 23-26 30 2315-2330 RWY 02L/20R CLOSED.

A0537/15

From 1504011745 to 1504301915
RWY 02L/20R CLOSURE BTN 1745/1915 ON APR 1-2 4-6 8-9 12-13 15-19 21 23-26 30 CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

A0536/15

From 1504072315 to 1504282330
APR 7 11 14 28 2315-2330 RWY 02C/20C CLOSED.

A0535/15

From 1504072300 to 1504282305
RWY 02L/20R CLOSURE BTN 2300/2305 ON APR 7 11 14 28 CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

A0534/15

From 1504071720 to 1504282100
RWY 02C/20C CLOSURE BTN 1720/1730, 1930/2100 ON APR 7 11 14 28 CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

A0528/15

From 1504010200 to 1504280900
ACFT STAND C15 CLOSED DUE TO WIP.

A0491/15

From 1504031700 to 1504032230
REF AIP SUP 26/15 PARAGRAPH 5.1, RWY 02C/20C CLOSURE BTN 1700-2230 ON APR 3 CNL.

A0425/15

From 1504020001 to 1504162359
NIL AIRAC FOR EFFECTIVE DATE 2 APR 15.

A0405/15

From 1503011700 to 1510242230
REFERENCE TO AIP SUPPLEMENT 26/15, RWY 02C/20C AND RWY 02L/20R WILL BE CLOSED BETWEEN 1700 AND 2300 OR BETWEEN 1700 AND 2230 ON THE DATES SPECIFIED IN PARAGRAPH 5.1. ALL ACFT OPERATORS OPERATING DURING THESE PERIODS ARE TO PLAN TO CARRY SUFFICIENT CONTINGENCY FUEL AS ONLY ONE RWY WILL BE AVAILABLE.

A0359/15

From 1502250450 to PERM
ACFT TYPE B737 SERIES CAN BE PARKED AT AIRCRAFT STAND B3. AMEND AIP SINGAPORE PAGE WSSS AS 2-6.5 ACCORDINGLY.

A0358/15

From 1502280000 to 1504300000
TWY A1 OPERATION IS RESTRICTED TO ACFT UP TO AND INCLUDING 65M WINGSPAN..

A0324/15

From 1502260200 to 1505060900
ACFT STAND E11 CLOSED DUE TO WIP.

A0204/15

From 1502030400 to PERM
FRANGIBLE POLES, HGT FROM 2.720M TO 6.097M AMSL, ARE INSTALLED APPROXIMATELY 200M FROM THE CENTRE OF THE RET FOR THE PURPOSE OF IDENTIFYING 58 METRES AWAY FROM THE CENTRELINE OF TWY WP TOWARDS RWY 02L/20R

A0187/15

From 1501310000 to PERM
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STANDS 103, 104, 200, 201, 202, 203, 205, 206, 300, 302, 310, 400 AND 401. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.6 ACCORDINGLY.

A0186/15

From 1501310000 to PERM
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STANDS F31, F50, F52, F54, F56, F58, F59 AND F60. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.4 ACCORDINGLY.

A0185/15

From 1501310000 to PERM
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STANDS E20, E22, E26, E27 AND E28. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.3 ACCORDINGLY.

A0184/15

From 1501310000 to PERM
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STAND C20. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.1 ACCORDINGLY.

A0154/15

From 1501261253 to PERM
A HELICOPTER SHALL NOT BE OPERATED WI THE WSSS CTR OR OUTSIDE OF HELI-ROUTE CHARLIE UNLESS PRIOR PERMISSION HAS BEEN OBTAINED THROUGH CAAS(UNDERSCORE)ATS(UNDERSCORE)ANSP(AT)CAAS.GOV.SG

A0133/15

From 1501220915 to 1504220000
TWY NC3 (BETWEEN TWY WA AND TWY A6) CAN ONLY BE USED BY AIRCRAFT WITH MAXIMUM WINGSPAN 52M.

A1976/14

From 1410070200 to 1512310900
ACFT STAND 101R CLOSED DUE TO WIP.

A1975/14

From 1410070200 to 1512310900
ACFT STAND 101 CLOSED DUE TO WIP.

A1291/14

From 1407040409 to PERM
ACFT TYPE B772LR CAN BE PARKED AT ACFT STANDS 502, 503, 504, 505, 506, 507, 508, 509, 601, 602, 603 AND 604. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.7 ACCORDINGLY

Latest AIC Issued

AIC: 1/15 2 Jan 15

Latest AIP Amendment Issued

AIP AMENDMENT: 2/15 5 MAR 15

Latest AIP Supplement Issued

AIP SUPPLEMENT: 45/15 19 Feb 15

CHECKLIST OF AIP SUPPLEMENTS:

2014 - 1, 2, 3, 4, 5, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 51, 52, 53, 54, 55, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 125, 126, 127, 128, 134, 135, 136, 137, 138, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 273, 274, 275, 279, 289, 291, 292, 293, 296, 297, 298, 299, 300, 303, 308, 315, 316, 317, 318, 319, 320, 325, 326, 327, 328, 329, 330, 333, 334, 335, 336, 337, 340, 341, 342, 343, 352, 360, 361, 362, 363, 364, 365, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384 AND 385.

2015 - 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 41, 42, 43, 44 AND 45.

AIP SUPPLEMENTS CANCELLED SINCE LAST CHECKLIST :

2014 - 86, 124, 234, 235, 236, 237, 286, 287, 288, 294, 203, 311, 312, 313, 314, 350, 351, 353 AND 354.

2015 - 38.

