



Civil Aviation Authority of Singapore

## NOTAM LIST

Telephone: 65-65956051  
AFS: WSSSYNYX  
Facsimile: 65-65431826  
caas\_singaporeais@caas.gov.sg  
www.caas.gov.sg

REPUBLIC OF SINGAPORE  
AERONAUTICAL INFORMATION SERVICES  
CIVIL AVIATION AUTHORITY OF SINGAPORE  
SINGAPORE CHANGI AIRPORT  
P.O. BOX 1, SINGAPORE 918141

REFERENCE NO. WSSSYNYX  
02/14  
01 February 2014

THE FOLLOWING NOTAM A SERIES ARE **STILL IN FORCE ON 01 February 2014 00:25:22 UTC**. NOTAM NOT INCLUDED IN THIS LIST HAVE EITHER BEEN CANCELLED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN AIP.

### ENROUTE / GENERAL

#### WSJC(SINGAPORE FIR)

##### A0191/14 NOTAMR A0001/14

From 1402010003 to 1403010003 EST  
CHECKLIST YEAR=2012 2186 YEAR=2013 0546 1916 1972 2256 2507 2756 2778 2799 2800 2801 2802 2811 2833 2874 2890 2932 2933 2968 3004 3006  
YEAR=2014 0022 0028 0029 0032 0033 0048 0049 0078 0079 0096 0097 0125 0131 0137 0138 0139 0143 0152 0153 0154 0155 0156 0158 0159 0161 0165 0168  
0169 0171 0172 0173 0174 0175 0176 0177 0178 0179 0180 0181 0182 0183 0184 0185 0186 0187 0188 0189 0190 LATEST PUBLICATIONS AIP AMENDMENT: 7/13  
12 DEC 13 AIP SUPPLEMENT: 30/14 3 JAN 14 AIC: 9/13 12 NOV 13

##### A0190/14

From 1402012300 to 1402021100  
WSD4(PULAU PAWAI/PULAU SENANG) ACT.

**Lower Limit:** SFC      **Upper Limit:** FL160

##### A0186/14

From 1402010030 to 1402281520  
BTN 0030/0050, 0100/0120, 0130/0150, 0200/0220, 0230/0250, 0300/0320, 0330/0350, 0400/0420, 0430/0450, 0500/0520, 0530/0550, 0600/0620, 0630/0650,  
0700/0720, 0730/0750, 0800/0820, 0830/0850, 0900/0920, 0930/0950, 1000/1020, 1030/1050, 1100/1120, 1130/1150, 1200/1220, 1230/1250, 1300/1320, 1330/1350,  
1400/1420, 1430/1450, 1500/1520 ON 1 TO 28 FEB PYROTECHNIC DISPLAY WILL TAKE PLACE WI 169FT SAFETY RADIUS OF 011511.71N 1034931.07E (WI WSAP  
CTR)

**Lower Limit:** GND      **Upper Limit:** 169FT AGL

##### A0185/14

From 1402011140 to 1402281310  
BTN 1140/1210 AND 1240/1310 ON 01 TO 28 JAN AND 011340-1410 FEB PYROTECHNIC DISPLAY WILL TAKE PLACE WI 231FT SAFETY RADIUS OF 011508.16N  
1034856.21E(WI WSAP CTR).

**Lower Limit:** GND      **Upper Limit:** 231FT AGL

##### A0184/14

From 1402011000 to 1402281515  
BTN 1000/1015, 1030/1045, 1100/1115, 1130/1145, 1200/1215, 1230/1245, 1300/1315, 1330/1345, 1400/1415, 1430/1445, 1500/1515 ON 1 TO 28 FEB 14  
PYROTECHNIC DISPLAY WILL TAKE PLACE WI 169FT SAFETY RADIUS OF 011517.24N 1034921.95E (WI WSAP CTR)

**Lower Limit:** GND      **Upper Limit:** 169FT AGL

##### A0183/14

From 1402011000 to 1402281515  
BTN 1000/1015, 1030/1045, 1100/1115, 1130/1145, 1200/1215, 1230/1245, 1300/1315, 1330/1345, 1400/1415, 1430/1445, 1500/1515 FM 1 TO 28 FEB  
PYROTECHNIC DISPLAY WILL TAKE PLACE WI 218FT SAFETY RADIUS OF 011531.13N 1034918.88E (WI WSAP CTR)

**Lower Limit:** GND      **Upper Limit:** 218FT AGL

##### A0178/14

From 1402030001 to 1402080500  
BTN 0001/1100 ON 03 TO 07 AND 080001-0500 FEB FIRING WILL TAKE PLACE WI WSD13.

**Lower Limit:** SFC      **Upper Limit:** FL400

##### A0177/14

From 1402022300 to 1402080500  
BTN 2300-1559 ON 02/03,03/04, 042300-071559 AND 080001-0500 FEB WSD20 ACT.

**Lower Limit:** SFC      **Upper Limit:** 2000FT MSL

##### A0176/14

From 1402022300 to 1402080500

BTN 2300-1559 ON 02/03, 03/04, 042300-071559 AND 080001-0500 FEB FIRING WILL TAKE PLACE WI WSD14/15/44/45.

**Lower Limit:** SFC      **Upper Limit:** FL550

**A0175/14**

From 1402010500 to 1402230830  
BTN 0500/0900 ON 01, 08, 15 AND 22 FEB BTN 0130/0830 ON 02, 09, 16 AND 23 FEB AEROMODELLING TRAINING WILL TAKE PLACE WI 0.5NM RADIUS OF 011841N 1033733E (WI WSAT ATZ). ALL PILOTS ARE TO EXERCISE CAUTION.

**Lower Limit:** GND      **Upper Limit:** 500FT AGL

**A0174/14**

From 1402010100 to 1402230700  
BTN 0100/0700 ON 01, 02, 08, 09, 15, 16 AND 23 FEB AEROMODELLING WILL TAKE PLACE WI 0.5NM RADIUS OF 012532.22N 1034745.57E (WI WSAG ATZ). ALL PILOTS ARE TO EXERCISE CAUTION.

**Lower Limit:** GND      **Upper Limit:** 200FT AGL

**A0169/14**

From 1402031100 to 1402281500  
BTN 1100/1500 FM 3 TO 7, 10 TO 14, 17 TO 21, 24 TO 28 FEB WSD4(PULAU PAWAI/PULAU SENANG) ACT.

**Lower Limit:** SFC      **Upper Limit:** FL160

**A0168/14**

From 1401312300 to 1402231100  
BTN 01312300/02011100, 2300/1100 ON 8/9, 15/16, 22/23 FEB WSD4 (PULAU PAWAI/PULAU SENANG) ACT.

**Lower Limit:** SFC      **Upper Limit:** FL160

**A0161/14**

From 1402060225 to 1402160730  
TRIGGER NOTAM-REF AIP SUP 285/13 WEF 6 FEB 14, SINGAPORE CHANGI AIRPORT AND THE ASSOCIATED AIRSPACE WILL BE CLOSED DUE TO FLYING DISPLAYS IN CONJUNCTION WITH THE SINGAPORE AIRSHOW 2014 EXHIBITION.

**A0159/14**

From 1402030000 to 1402091700  
BTN 0000-1700 ON 3, 6, 7 AND 080000/091700 FEB WSD11B ACT.

**Lower Limit:** SFC      **Upper Limit:** FL125

**A0158/14**

From 1402030000 to 1402091700  
BTN 0000-1700 ON 3, 6, 7 AND 080000/091700 FEB WSD11A ACT.

**Lower Limit:** SFC      **Upper Limit:** FL125

**A0143/14**

From 1401251100 to 1402081345  
BTN 1100/1200, 1215/1230, ON 25 JAN, 6 FEB AND BTN 1200/1300, 1300/1345 ON 7, 8 FEB PYROTECHNIC DISPLAY WILL TAKE PLACE WI SAFETY RADIUS 218FT AT 011728.62N 1035150.05E AND 011728.57N 103515.98E (WI WSAP CTR)

**Lower Limit:** GND      **Upper Limit:** 218FT AGL

**A0139/14**

From 1401270001 to 1402010500  
BTN 0001-1100 ON 27 TO 31 JAN AND 010001-0500 FEB FIRING WILL TAKE PLACE WI WSD13.

**Lower Limit:** SFC      **Upper Limit:** FL400

**A0138/14**

From 1401262300 to 1402010500  
BTN 2300-1559 ON 26/27, 27/28, 282300-311559 JAN AND 010001-0500 FEB WSD20 ACT.

**Lower Limit:** SFC      **Upper Limit:** 2000FT MSL

**A0137/14**

From 1401262300 to 1402010500  
BTN 2300-1559 ON 26/27, 27/28, 282300-311559 JAN AND 010001-0500 FEB FIRING WILL TAKE PLACE WI WSD 14/15/44/45.

**Lower Limit:** SFC      **Upper Limit:** FL550

**A0125/14**

From 1402012300 to 1402020100  
LOW LEVEL OVER WATER SPRAY ACTIVITY WILL TAKE PLACE WI AREA BOUNDED BY 013000N1044404E, 013000N1052404E, 010001N1052404E AND 010001N1044404E.

**Lower Limit:** SFC      **Upper Limit:** 2500FT MSL

**A0048/14**

From 1401111200 to 1402091335  
BTN 1200/1210, 1230/1300, 1315/1320 ON 11, 1200/1210, 1559/1605 ON 30 JAN AND 1200/1230, 1330/1335 ON 9 FEB PYROTECHNIC DISPLAY WILL TAKE PLACE WI SAFETY RADIUS 99FT OF 011700.00N1035020.00E (WI WSAP CTR)

**Lower Limit:** GND      **Upper Limit:** 150FT AGL

**A2833/13**

From 1312120000 to PERM  
REF AIP SUP 254/13 ON THE IMPLEMENTATION OF ADS-B WI PARTS OF THE SINGAPORE FIR, FLIGHTS OPR IN THE AIRSPACE MENTIONED INCLUDING ATS ROUTE M904 ARE TO CTC SINGAPORE RADAR ON PRIMARY FREQ 134.35MHZ AND SECONDS FREQ 133.6MHZ

**A1916/13**

From 1308150740 to PERM  
PILOTS ARE REMINDED TO USE THE PHRASEOLOGY MINIMUM FUEL AND MAYDAY MAYDAY MAYDAY FUEL TO NOTIFY ATC OF THEIR LOW FUEL STATE OR FUEL EMERGENCY. FOR DETAILS, REFER TO CAAS INFORMATION CIRCULAR IC 5/2013 DATED 13 AUG 13 AVAILABLE AT URL HTTP://WWW.CAAS.GOV.SG - REGULATIONS - SAFETY - DOCUMENTS AND NOTICES - INFORMATION CIRCULARS.

**AERODROMES**

**WSAP(PAYA LEBAR)**

**A0189/14**

From 1401312300 to 1403091559  
ONE MOBILE CRANE, HGT 251FT AMSL, ERECTED AT 011910.10N 1035335.5E (BEARING 195 DEGREES, DISTANCE /2.25NM FROM WSAP ARP).DAILY FROM MON TO FRI BTN 1500-2200 AND FROM SAT 0500 TO SUN 2200. OUTSIDE THE STATED TIMINGS, CRANE LOWERED TO 211FT. CRANE MARKED AND LIGHTED AT NIGHT.

**A0188/14**

From 1401312300 to 1712301559  
FIVE LUFFER CRANES, HGT 802FT AMSL, ERECTED AT 01180.81N 1035124.32E (BEARING 219.7 DEGREES, DISTANCE 4.33NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

**A0187/14**

From 1401312300 to 1702281559  
ONE CRANE, HGT 264FT AMSL, ERECTED AT 012208.92N 1035638.92E (BEARING 72 DEGREES DISTANCE 2.61NM FROM WSAP ARP). CRANE MARKED AND LIGHTED AT NIGHT.

**A0182/14**

From 1401312300 to 1602281559  
FOUR TOWER CRANES, HGT 300FT AMSL, WILL BE ERECTED AT 02341.35N 1035235.68E (BEARING 326.2 DEGREES, DISTANCE 2.82NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

**A0180/14**

From 1401300400 to 1402282359  
PU VOR/DME 115.1MHZ/CH98X WITHDRAWN FOR MAINTENANCE.

**A0165/14 NOTAMR A0122/14**

From 1401270854 to 1412311559  
EIGHT CRANES, HGT 277.2FT AMSL, WILL B ERECTED AT 012429.14N 10354.20E (BEARING 357.0 DEGREES, DISTANCE 3.15NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

**A0131/14**

From 1401220645 to 1512311559  
TWO LUFFER CRANES, HGT 891FT AMSL AT 011633.24N 1035036.49E (BEARING 216.6 DEGREES, DISTANCE 5.97NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

**A0097/14**

From 1401172300 to 1512311559  
SIX HAMMER HEAD CRANES, HGT 277.2FT AMSL, ERECTED AT 012406.39N 1035354.19E (BEARING 354.6 DEGREES, DISTANCE 2.78NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

**A0096/14**

From 1401172300 to 1406301559  
NINE HAMMER HEAD CRANES, HGT 277.2FT AMSL, ERECTED AT 012421.60N 1035439.07E (BEARING 9.1 DEGREES DISTANCE 3.06NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

**A0033/14**

From 1401092300 to 1512311559  
TWO LUFFER CRANES, HGT 277.2FT AMSL, ERECTED AT 012222.70N 1035354.32E (BEARING 345.8 DEGREES, DISTANCE 1.07NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

**A0029/14**

From 1401081500 to 1412302200  
ONE LUFFER CRANE, HGT 1023FT AMSL, ERECTED AT 011628.10N 1035040.54E (BEARING 215.6 DEGREES, DISTANCE 6.00NM FROM WSAP ARP). DAILY FROM MON TO FRI BTN 1500/2200 AND FROM SAT 0500 TO SUN 2200. OUTSIDE THE STATED TIMING, CRANE WILL BE LOWERED TO HGT 924FT. CRANE MARKED AND LIGHTED AT NIGHT.

**A0028/14**

From 1401072300 to 1412311559  
TWO LUFFER CRANES, HGT 693FT AMSL, ERECTED AT 011624.38N 1035043.82E (BEARING 214.8 DEGREES, DISTANCE 6.024NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

**A0022/14**

From 1401062300 to 1402281559  
FOUR MOBILE CRANES, HGT 250.8FT AMSL, ERECTED AT 012337.92N 1035549.49E (BEARING 35.9DEGRES, DISTANCE 2.83NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

**A2933/13**

From 1312230831 to 1407311559  
ONE LUFFER CRANE, HGT 314FT AMSL, ERECTED AT 012047.02N 1035556.75E (BEARING 107.5 DEGREES, DISTANCE 1.87NM FROM WSAP ARP). DAILY FROM MON TO FRI BTN 1500-2200 AND FROM SAT 0500 TO SUN 2200. OUTSIDE THE STATED TIMING CRANE WILL BE LOWERED TO 212FT. CRANE MARKED AND LIGHTED AT NIGHT.

**A2890/13**

From 1312222300 to 1611301559  
ONE CRANE, HGT: 247.5FT AMSL, WILL BE ERECTED AT 011833.24N 1035418.65E (BEARING 177.0 DEGREE, DISTANCE 2.79NM FROM WSAP ARP). CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

**A2811/13**

From 1312092300 to 1606301559  
ONE LUFFER CRANE, HGT 277.2FT AMSL, ERECTED AT 012055.14N 1035241.35E (BEARING 254 DEGREES, DISTANCE 1.54NM FROM WSAP ARP). CRANE MARKED AND LIGHTED AT NIGHT.

**A2802/13**

From 1312042300 to 1402281559  
A TOWER CRANE, HGT 278FT AMSL, WILL BE ERECTED AT 012321.90N 1035400.80E (BRG/RANGE: 355.7DEG/2.03NM FROM WSAP ARP). CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

**A2801/13**

From 1312042300 to 1404301559  
A LUFFER CRANE, HGT 278FT AMSL, WILL BE ERECTED AT 011958.38N 1035401.62E (BRG/RANGE: 185.8DEG/1.38NM FROM WSAP ARP). CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

**A2507/13**

From 1310231552 to PERM  
MOBILE ACFT ARRESTOR GEAR, HGT 2M AGL, PLACED 12M FROM EDGE OF WESTERN TWY BTN W1-W2, AT 415M SOUTH OF W1 AND LIGHTED AT NIGHT. TWY BTN W1 AND W2 CLOSED TO ALL CODE 'C' AND ABOVE ACFT. PILOTS TO EXERCISE CAUTION

**A2256/13**

From 1309302300 to 1410311559  
ONE LUFFER CRANE, HGT 330FT AMSL, ERECTED AT 012025.95N 1035638.11E (BEARING 110.3 DEGREES DISTANCE 2.63NM FROM WSAP ARP). CRANE MARKED AND LIGHTED AT NIGHT.

**WSSS(SINGAPORE / SINGAPORE CHANGI INTL)**

**A0181/14**

From 1402021800 to 1402022200  
TWY NC2 BTN TWY N1 AND N3 CLOSED DUE TO COMPASS SWING ACTIVITY.

**A0173/14 NOTAMR A2928/13**

From 1401290825 to 1402282359  
REFERENCE TO AIP SINGAPORE INSTRUMENT APPROACH CHART WSSS AD 2-117, THE MISSED APPROACH PROCEDURE FOR RNAV (GNSS) RWY 02L IS TEMPORARILY AMENDED TO READ AS FLW:CLIMB TO 1,000FT, THEN CLIMBING LEFT TURN TO 4,000FT VIA HEADING 335 DEGREES AND R-006 TO AKOMA (SJ R-006/32DME) AND HOLD OR AS DIRECTED BY ATC.

**A0172/14 NOTAMR A2934/13**

From 1401290818 to 1402282359  
REFERENCE TO AIP SINGAPORE INSTRUMENT APPROACH CHART WSSS AD 2-101, THE MISSED APPROACH PROCEDURE FOR ICW ILS/DME RWY 02L IS TEMPORARILY AMENDED TO READ AS FLW:CLIMB TO 1,000FT, THEN CLIMBINGLEFT TURN TO 4,000FT VIA HEADING 335 DEGREES AND R-006 TO AKOMA (SJ R-006/32DME) AND HOLD OR AS DIRECTED BY ATC.

**A0171/14 NOTAMR A2926/13**

From 1401290804 to 1402282359  
REFERENCE TO AIP SINGAPORE PAGE ENR 1.6-4, DUE TO NON-AVAILABILITY OF PU DVOR/DME, PARAGRAPH 1.10.2 III(A) IS TEMPORARILY AMENDED TO READ AS FLW: CARRY OUT MISSED APPROACH PROCEDURE TO AKOMA (SJ R-006/32DME). LEAVE AKOMA AT 4,000FT TO NYLON HOLDING AREA(NHA) AND EXECUTE THE APPROPRIATE INSTRUMENT PROCEDURE FROM NHA TO LAND ON RWY 20R OR RWY 20C, AS APPROPRIATE.

**A0156/14**

From 1401261745 to 1402281915  
BTN 1745/1915 ON 26 JAN, 5, 6, 9, 10, 12, 13, 16, 18, 20, 21, 23, 27 AND 28 FEB. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02L/20R CLOSURE BTN 1745/1915 CNL.

**A0155/14**

From 1401261930 to 1402282100  
BTN 1930/2100 ON 26 JAN 5, 6, 9, 10, 12, 13, 16, 18, 20, 21, 23, 27 AND 28 FEB REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02C/20C CLOSURE BTN 1930/2100 CNL.

**A0154/14**

From 1401261720 to 1402281730  
BTN 1720/1730 ON 26 JAN 5, 6, 9, 10, 12, 13, 16, 18, 20, 21, 23, 27 AND 28 FEB REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02C/20C CLOSURE BTN 1720/1730 CNL.

**A0153/14**

From 1401261700 to 1402282230  
BTN 1700/2230 ON 26 JAN, 5, 6, 9, 10, 12, 13, 16, 18, 20, 21, 23, 27 AND 28 FEB RWY 02C/20C CLOSED DUE TO WIP.

**A0152/14**

From 1401261700 to 1402282230

BTN 1700/2230 ON 26 JAN, 5, 6, 9, 10, 12, 13, 16, 18, 20, 21, 23, 27 AND 28 FEB TWY EP BTN TWY E8 TO E11 CLOSED DUE TO WIP.

**A0078/14**

From 1401160700 to 1406180900  
ACFT STAND F52 CLOSED DUE TO WIP.

**A0049/14**

From 1401100231 to PERM  
REFERENCE TO AIP SINGAPORE CHART WSSS 2-31, TAXIWAY L4 TO BE RE-DESIGNATED AS TAXILANE L4. AMEND SINGAPORE CHART WSSS 2-31 ACCORDINGLY.

**A0032/14**

From 1401090152 to 1402062359  
NIL AIRAC FOR EFFECTIVE DATE 6TH FEB 14.

**A3006/13 NOTAMR A1802/13**

From 1312310900 to 1406301559 EST  
TEMPORARY OBSTACLE (TREE), HGT 21M AGL, LOCATED AT 012004N 1035925E (BEARING/RANGE:178DEG/1.52NM FROM WSSS ARP).

**A3004/13 NOTAMR A1804/13**

From 1312310627 to 1406301559EST  
TEMPORARY OBSTACLE(TREE), HGT 24M AGL, LOCATED AT 012045N 1035952E (BEARING/RANGE:147DEG/0.95NM FROM WSSS ARP).

**A2932/13**

From 1312230745 to PERM  
REFERENCE TO AIP SINGAPORE, AMEND PAGE ENR 1.6-5 PARA 1.12.3 ITEM A, B AND C, 7,500FT TO READ AS 7,000FT. REST NO CHANGE.

**A2800/13**

From 1312080400 to 1402282359  
ONE RIG, HGT 124M AMSL, BERTHED AT 012818N 1040100E (BRG 11 DEG, DIST 6.9NM FROM WSSS AERODROME REFERENCE POINT - WI WSSS CTR). RIG MARKED AND LIGHTED.

**A2799/13**

From 1312080400 to 1402282359  
RWY20R RNAV (GNSS BARO-VNAV) APPROACH WITH VERTICAL GUIDANCE PROCEDURE SUSPENDED DUE TO PRESENCE OF VESSEL. REFER TO AIP SINGAPORE CHART WSSS AD 2-119.

**A2778/13 NOTAMR A2357/13**

From 1312020425 to PERM  
INSERT NEW PUSHBACK PROCEDURE FOR ACFT STANDS 103 AND 104: THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK ONTO TWY L4 CENTRELINE TO FACE EAST UNTIL THE NOSE OF THE AIRCRAFT IS BEHIND THE STOPBAR BEHIND AIRCRAFT STAND 102. THE AIRCRAFT MAY BREAK AWAY FROM THERE. PHRASEOLOGY: STANDARD PUSHBACK APPROVED

**A2756/13**

From 1312030700 to 1404110900  
ACFT STAND F54 CLOSED DUE TO WIP.

**A2186/12**

From 1210111030 to PERM  
CHANGI ARRIVALS VIA ATS ROUTE A464 SHALL FLIGHT PLAN BOBAG 1A OR BOBAG 1B AS STAR ROUTE. WHEN TRAFFIC PERMITS,BOBAG 1K, BOBAG 1L OR LELIB 2B STAR WOULD BE ISSUED TO PILOTS. REFER TO AIP SINGAPORE CHARTS WSSS AD 2-81, 2-81-1, 2-83, 2-83-1 AND 2-89.

**WSAG(SEMBAWANG)**

**A1972/13**

From 1308260001 to 1505011559  
TWO LUFFER CRANES, HGT 283FT AMSL, ERECTED AT 0127N10351E (BEARING 75 DEGREES, DISTANCE 3.23NM FROM WSAG ARP). CRANES MARKED AND LIGHTED AT NIGHT.

**A0546/13**

From 1303060235 to 1602281559  
TWO LUFFER CRANE,HGT 591FT AMSL,ERECTED AT 012634.85N 1034703.65E (BRG/RANGE:291DEG/2.4NM FROM WSAG ARP).

**WSSL(SELETAR)**

**A0179/14**

From 1402041600 to 1402281800  
BTN 071600-2300, BTN 1600-1800 ON 4,11,14,18,21,25, 28 FEB RWY 03/21 CLOSED.

**A0079/14 NOTAMR A2668/13**

From 1401150727 to 1403152359EST  
CLUSTER OF TREES, HGT 30M AGL, LOCATED AT 012432N1035200E (BEARING 186 DEGREES, DISTANCE 0.52NM FROM WSSL ARP). TREES LOCATED ALONG EASTERN EDGE OF AERODROME. PILOT TO EXER CAUTIONS.

**A2968/13**

From 1312261130 to 1403312359 EST  
TEMPORARY OBSTACLE (CLUSTER OF TREES), HGT 38M AGL, LOCATED AT 012527.3N 1035253.1E (BEARING 064 DEGREES, DISTANCE 1.04NM FROM WSSL ARP).

**A2874/13 NOTAMR A2114/13**

**Latest AIC Issued**

AIC: 9/13 12 NOV 13

**Latest AIP Amendment Issued**

AIP AMENDMENT: 7/13 12 DEC 13

**Latest AIP Supplement Issued**

AIP SUPPLEMENT: 30/14 3 JAN 14

CHECKLIST OF AIP SUPPLEMENTS:

2011 - 190, 191, 192, 193 AND 194.

2012 - 85, 86, 87, 88, 89, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 194,  
195, 196, 197 AND 198.

2013 - 2, 3, 4, 5, 90, 91, 92, 93, 94, 103, 104, 105, 106, 107, 108, 109, 110, 111,  
112, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166,  
172, 173, 174, 175, 176, 181, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192,  
193, 194, 195, 195, 196, 197, 198, 199, 200, 201, 202, 203, 205, 206, 207, 208, 209  
210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225,  
226, 227, 228, 229, 230, 231, 232, 238, 239, 240, 241, 242, 243, 244, 245, 246,  
247, 248, 249, 250, 251, 252, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263,  
264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 276, 277, 278, 279, 280,  
281, 282, 283, 284 AND 285.

2014 - 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22,  
23, 24, 25, 26, 27, 28, 29 AND 30.

AIP SUPPLEMENTS CANCELLED SINCE LAST CHECKLIST:

2013 - 1, 49, 50, 51, 52, 53, 79, 80, 82, 95, 96, 97, 98, 99, 113, 114, 115, 116,  
145, 148, 149, 167, 168, 169, 170, 171, 179, 180, 233, 234, 235, 236, 237 AND 275.