



Civil Aviation Authority of Singapore

## NOTAM LIST

Telephone: 65-65956051  
AFS: WSSSYNYX  
Facsimile: 65-65431826  
caas\_singaporeais@caas.gov.sg  
www.caas.gov.sg

REPUBLIC OF SINGAPORE  
AERONAUTICAL INFORMATION SERVICES  
CIVIL AVIATION AUTHORITY OF SINGAPORE  
SINGAPORE CHANGI AIRPORT  
P.O. BOX 1, SINGAPORE 918141

REFERENCE NO. WSSSYNYX  
03/15  
01 March 2015

THE FOLLOWING NOTAM A SERIES ARE **STILL IN FORCE ON 01 March 2015 01:29:18 UTC**. NOTAM NOT INCLUDED IN THIS LIST HAVE EITHER BEEN CANCELLED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN AIP.

### ENROUTE / GENERAL

#### WSJC(SINGAPORE FIR)

##### A0404/15 NOTAMR A0195/15

From 1503010003 to 1504010003 EST  
CHECKLIST YEAR=2014 0995 0996 0997 0998 1022 1034 1131 1144 1291 1975 1976 2203 2358 2581 2588 2590 2591 2592 2593 2594 2613 2614 2615 2618 2619  
YEAR=2015 0133 0146 0154 0158 0163 0176 0178 0179 0181 0182 0184 0185 0186 0187 0204 0237 0269 0270 0271 0275 0276 0286 0308 0309 0322 0324 0333  
0335 0340 0341 0344 0346 0353 0357 0358 0359 0360 0361 0362 0363 0364 0365 0366 0367 0368 0369 0370 0371 0374 0375 0376 0378 0379 0380 0381 0382  
0383 0384 0385 0386 0387 0388 0389 0390 0391 0392 0394 0395 0400 0403 LATEST PUBLICATIONS AIP AMENDMENT: 1/15 8 Jan 15 AIP SUPPLEMENT: 45/15 19  
Feb 15 AIC: 1/15 2 Jan 15

##### A0403/15

From 1503020100 to 1504011300  
MAR 02-APR 01 0100-0300 1200-1300 FIRING WILL TAKE PLACE WI AREA BOUNDED BY 101313N1142011E THENCE ALONG THE SINGAPORE-MANILA FIR  
BOUNDARY TO 100955N1142409E, THENCE AN ARC OF A CIRCLE OF RADIUS 5000M CENTRED ON 101054N1142136E TO 101313N1142011E AND WI 5000M  
RADIUS OF: 1) 083830N1115555E 2) 095300N1141900E 3) 095418N1143342E 4) 075210N1125410E 5) 085606N1122054E 6) 085806N1134154E 7)  
100342N1135106E 8) 084842N1135900E 9) 084942N1125348E 10) 085100N1121100E 11) 081000N1131800E 12) 084236N1141106E 13) 094613N1141525E 14)  
094648N1142212E 15) 084042N1114012E 16) 085118N1143918E

**Lower Limit:** SFC      **Upper Limit:** 2400 FT MSL

##### A0400/15

From 1503022300 to 1503271000  
MAR 02-05 09 11 15-18 22-26 2300-2359 03 05 12 16-19 26 27 0000-1000 04 0000-0700 06 0000-0500 0700-1000 10 0000-0500 11 13 0430-1000 20 0600-1000 23  
0000-0530 24 25 0000-0600 ONE MINI UNMANNED AERIAL VEHICLE OPERATING WI 1KM RADIUS OF 0116N10337E (WI WSAT ATZ). VERTICAL SEPARATION IS  
2000FT ABOVE UPPER LIMIT. ALL PILOTS ARE TO EXERCISE CAUTION.

**Lower Limit:** GND      **Upper Limit:** 200FT AGL

##### A0395/15

From 1503090000 to 1503151700  
MAR 09 12-15 0000-1700 WSD11B ACT

**Lower Limit:** SFC      **Upper Limit:** FL125

##### A0394/15

From 1503090000 to 1503151700  
MAR 09 12-15 0000-1700 WSD11A ACT

**Lower Limit:** SFC      **Upper Limit:** FL125

##### A0391/15

From 1503011145 to 1503311320  
MAR 01-31 1145-1220 1240-1320 PYROTECHNIC DISPLAY WILL TAKE PLACE WI SAEFTY RADIUS 99FT OF 011503.07N 1034859.99E (WI WSAP CTR).

**Lower Limit:** GND      **Upper Limit:** 99FT AGL

##### A0390/15

From 1503011000 to 1503311545  
MAR 01-31 1000-1545 PYROTECHNIC DISPLAY WILL TAKE PLACE WI SAEFTY RADIUS 218FT OF 011531.13N 1034918.88E (WI WSAP CTR).

**Lower Limit:** GND      **Upper Limit:** 218FT AGL

##### A0389/15

From 1503011000 to 1503311545  
MAR 1-31 1000-1545 PYROTECHNIC DISPLAY WILL TAKE PLACE WI SAEFTY RADIUS 169FT OF 011517.24N 1034921.95E (WI WSAP CTR).

**Lower Limit:** GND      **Upper Limit:** 169FT AGL

##### A0388/15

From 1503010030 to 1503311545  
MAR 01-31 0030-1545 PYROTECHNIC DISPLAY WILL TAKE PLACE WI SAEFTY RADIUS 169FT OF 011511.71N 1034931.07E (WI WSAP CTR).

**Lower Limit:** GND      **Upper Limit:** 169FT AGL

**A0384/15**

From 1503070000 to 1503072000  
LAND DEMOLITION WILL TAKE PLACE WI SAFETY RADIUS 0.16NM OF WSD4 (PULAU SENANG).

**Lower Limit:** GND      **Upper Limit:** 1400FT AGL

**A0383/15**

From 1503021100 to 1503311500  
MAR 02-06 09-13 16-20 23-27 30-31 1100-1500 WSD4 (P.PAWAI/P.SENANG) ACT

**Lower Limit:** SFC      **Upper Limit:** FL160

**A0382/15**

From 1502282300 to 1503291100  
FEB 28, MAR 7 14 21 28 2300-2359 MAR 01 08 15 22 29 0000-1100 WSD4 (P.PAWAI/P.SENANG) ACT

**Lower Limit:** SFC      **Upper Limit:** FL160

**A0378/15**

From 1502262330 to 1503141100  
FEB 26 27 28 2330-2359 27 28 0000-1100, MAR 01-13 2330-2359 01-14 0000-1100 AERIAL SURVEY WILL TAKE PLACE WI SECTOR 1 : 014626.03N1035952.77E 014236.29N1040328.16E 013733.00N1035824.14E 014132.71N1035437.98E SECTOR 2 : 014236.29N1040328.16E 013848.65N1040702.30E 013341.33N1040158.14E 013733.00N1035824.14E (FELDA AIR TAWAR, KOTA TINGGI, JOHOR)

**Lower Limit:** SFC      **Upper Limit:** 2000FT MSL

**A0376/15**

From 1503020001 to 1503070500  
MAR 02-06 0001-1100 07 0001-0500 FIRING WILL TAKE PLACE WI WSD13

**Lower Limit:** SFC      **Upper Limit:** FL400

**A0375/15**

From 1503012300 to 1503070500  
MAR 01-03 2300-2359 02 03 06 0000-1559 04 05 0000-2359 07 0001-0500 WSD20 ACT

**Lower Limit:** SFC      **Upper Limit:** 2000FT MSL

**A0374/15**

From 1503012300 to 1503070500  
MAR 01-03 2300-2359 02 03 06 0000-1559 04 05 0000-2359 07 0001-0500 FIRING WILL TAKE PLACE WI WSD14/15/44/45

**Lower Limit:** SFC      **Upper Limit:** FL550

**A0371/15**

From 1502262330 to 1503141100  
FEB 26 27 28 2330-2359 27 28 0000-1100 MAR 01-13 2330-2359 01-14 0000-1100 AERIAL SURVEY WILL TAKE PLACE WI 014441.74N1035232.94E 014501.40N1035424.45E 014309.55N1035444.86E 014250.39N1035252.50E (KOTA TINGGI, JOHOR)

**Lower Limit:** SFC      **Upper Limit:** 2500FT MSL

**A0370/15**

From 1502270300 to 1503010530  
FEB 27 28 0300-0530 MAR 01 0300-0530 AERIAL SURVEY WILL TAKE PLACE WI SECTOR 3 : 013848.65N1040702.30E 013458.61N1041040.10E 012945.90N1040536.20E 013341.33N1040158.14E (FELDA AIR TAWAR, KOTA TINGGI, JOHOR)

**Lower Limit:** SFC      **Upper Limit:** 1000FT MSL

**A0368/15**

From 1503041800 to 1503042100  
ADS-C/CPDLC SERVICE NOT AVAILABLE DUE TO MAINTENANCE.

**A0367/15**

From 1503072300 to 1503080100  
LOW LEVEL OVER WATER SPRAY ACTIVITY WILL TAKE PLACE WI AREA BOUNDED BY 013000N1044404E 013000N1052404E 010001N1052404E AND 010001N1044404E.

**Lower Limit:** SFC      **Upper Limit:** 2500FT MSL

**A0360/15**

From 1503010100 to 1503290700  
MAR 01 07 08 14 15 21 22 29 0100-0700 AEROMODELLING WILL TAKE PLACE WI 0.3NM RADIUS OF 012532N 1034745E (WI WSAG ATZ). ALL PILOTS TO EXERCISE CAUTION.

**Lower Limit:** GND      **Upper Limit:** 200FT AGL

**A0357/15**

From 1503010130 to 1503290830  
MAR 01 08 15 22 29 0130-0830 07 14 21 28 0500-0900 AEROMODELLING WILL TAKE PLACE WI 459.3FT RADIUS OF 011838N1033732E (WI WSAT ATZ). ALL PILOTS ARE TO EXERCISE CAUTION.

**Lower Limit:** GND      **Upper Limit:** 500FT AGL

**A0353/15**

From 1503011220 to 1503011330  
MAR 01 1220-1240, 1315-1330 PYROTECHNIC DISPLAY WILL TAKE PLACE WI 011810.75N 1035006.40E AND 011811.79N 1035003.59E (WI WSAP CTR).

**Lower Limit:** GND      **Upper Limit:** 165FT AGL

**A0341/15**

From 1503020000 to 1503081700  
MAR 02 05-08 0000-1700 WSD11B ACT.

**Lower Limit:** SFC      **Upper Limit:** FL125

**A0340/15**

From 1503020000 to 1503081700  
MAR 02 05-08 0000-1700 WSD11A ACT.

**Lower Limit:** SFC      **Upper Limit:** FL125

**A0309/15**

From 1502230000 to 1503011700  
FEB 23 26-28 0000-1700 MAR 01 0000-1700 WSD11B ACT.

**Lower Limit:** SFC      **Upper Limit:** FL125

**A0308/15**

From 1502230000 to 1503011700  
FEB 23 26-28 0000-1700 MAR 01 0000-1700 WSD11A ACT.

**Lower Limit:** SFC      **Upper Limit:** FL125

**A0286/15**

From 1503020001 to 1503090900  
MAR 02-09 0001-0900 SURFACE TO AIR AND AIR TO SURFACE FIRING WILL TAKE PLACE WI 7NM RADIUS CENTRED ON 072300N1135700E

**Lower Limit:** SFC      **Upper Limit:** 20000 FT MSL

**A0276/15**

From 1503060030 to 1503060430  
PJE WILL TAKE PLACE WITHIN THE LATERAL LIMIT OF WSAG ATZ. WSAG ATZ WILL BE CLOSED. JUMP IN VMC AND CLEAR OF CONTROLLED AIRSPACE.

**Lower Limit:** GND      **Upper Limit:** 10000FT AGL

**A0275/15**

From 1503060030 to 1503060430  
LIGHT ACFT TRNG AREA 'B' AND 'C' CLOSED DUE TO PJE.

**A0146/15**

From 1501250001 to 1503312359 EST  
RESTRICTED AIRSPACE WI 0.6NM RADIUS OF 012119N1034057E (WI WSAT ATZ).

**Lower Limit:** SFC      **Upper Limit:** 5500FT MSL

**A2594/14**

From 1412290535 to PERM  
REFERENCE TO AIP SINGAPORE PAGE WSSS AD 2-17, UNDER APP- DELETE IN TOTO LOCATIONS OF ASR I AND ASR II RADAR HEADS.

**A2593/14**

From 1412290535 to PERM  
REFERENCE TO AIP SINGAPORE PAGE WSSS AD 2-17, UNDER ACC-DELETE IN TOTO LOCATION OF RADAR HEAD 012322.70N 1035859.23E AND EMISSION A3.

**A2592/14**

From 1412290529 to PERM  
REFERENCE TO AIP SINGAPORE PAGE ENR 1.8-24, PARAGRAPH 7.1.1 B), DELETE IN TOTO.

**A2591/14**

From 1412290525 to PERM  
REFERENCE TO AIP SINGAPORE PAGE ENR 1.8-24 PARAGRAPH 7.1.1 A), AMEND TO READ AS ACFT MUST CARRY SERVICEABLE ADS-B TRANSMITTING EQUIPMENT THAT HAS BEEN CERTIFIED AS MEETING EASA AMC 20-24, OR FAA AC NO. 20-165A-AIRWORTHINESS APPROVAL OF ADS-B, OR MEETS THE EQUIPMENT CONFIGURATION STANDARDS IN APPENDIX XI OF CIVIL AVIATION ORDER 20.18 OF THE CIVIL AVIATION SAFETY AUTHORITY OF AUSTRALIA.

**AERODROMES**

**WSSL(SELETAR)**

**A0392/15**

From 1503020600 to 1503021100  
LIGHT SMOKE TRAILS EXPECTED TO BE EMITTED FROM GROUND RUN ENCLOSURE STRUCTURE NORTH OF TWY EC2, DUE TO ENGINE-RUN TRIALS.

**A0163/15**

From 1501270606 to PERM

ORANGE FRANGIBLE POSTS, HGT 0.60M, INSTALLED AT THE AIRSIDE TURF AREA AT 90M FROM BOTH SIDES OF THE RWY TO DEMARCATATE THE BOUNDARY FOR GRASS CUTTING AND OTHER MAINTENANCE ACTIVITIES ON THE TURF AREA.

**A2358/14**

From 1412052300 to PERM  
REFERENCE TO AIP SINGAPORE PAGE WSSL AD 2-3-1 SECTION WSSL AD 2.9, ROW 3 FOR STOP BARS, INSERT- CRASH ALARM STOP BARS:RED LIGHT ACROSS JUNCTIONS OF EP, EC4 AND EH2 TWY, FLUSHED WITH TWY SURFACE. (NOTE TO PILOTS AND TOW-CREW:SLOW DOWN WHEN TAXIING/TOWING ON TWY EP BETWEEN TWY EC4 AND ABEAM THE CONTROL TOWER. KEEP A LOOKOUT FOR EMERGENCY VEHICLES THAT MAY CROSS THE TAXIWAY TO RESPOND TO EMERGENCY ON THE RUNWAY).

**WSAP(PAYA LEBAR)**

**A0387/15**

From 1502281601 to 1503311559  
WILDLIFE NETTINGS MOUNTED ON POLES, 1M IN HEIGHT, DEPLOYED BTN TWY W5-W6, E3-E4, E6-E7 GRASS PATCHES, 40M FROM RWY EDGE. PILOTS TO EXERCISE CAUTION.

**A0386/15**

From 1502281601 to 1503311559  
SILVER STRIPS MOUNTED ON WOODEN POLES 2M IN HEIGHT DEPLOYED BTN TWY W2-W3, W5-W6, E2-E3, E6-E7 GRASS PATCHES, 40M FROM RWY EDGE. PILOTS TO EXERCISE CAUTION.

**A0369/15 NOTAMR A0202/15**

From 1502260157 to 1506301559  
RWY20 SEQUENCED FLASHING LIGHTS NOT AVAILABLE.

**A0346/15**

From 1502230900 to 1509301559  
THREE TOPLESS CRANES, HGT 393.6FT AMSL, ERECTED AT 011848.24N1035215.0E (BEARING 217 DEGREES, DISTANCE 3.18NM FROM WSAP ARP-WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**A0322/15**

From 1502172300 to 1512311559  
ONE CRAWLER CRANE, HGT 228FT AMSL, ERECTED AT 012416.30N1035440.10E (BEARING 9.7 DEGREES, DISTANCE 2.97NM FROM WSAP ARP-WI WSAP CTR.) CRANE MARKED AND LIGHTED AT NIGHT.

**A0237/15**

From 1502080001 to 1702281559  
ONE LUFFER CRANE, HGT 312 FT AMSL, ERECTED AT 012303.20N 1035327.60E (BEARING 337.5 DEGREES, DISTANCE 1.85NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**A0158/15**

From 1501312300 to 1608011559  
ONE LUFFER CRANE, HGT 528FT AMSL, ERECTED AT 011904.20N1035107.30E (BEARING 233.3 DEGREES, DISTANCE 3.80NM FROM WSAP ARP). CRANE MARKED AND LIGHTED AT NIGHT.

**A2590/14**

From 1412271015 to 1801071559  
TWO HYDRAULIC CRAWLERS CRANES, HGT 277.2FT AMSL, ERECTED AT 012328.80N1035334.00E (BEARING 344.3 DEGREES, DISTANCE 2.22NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**A1144/14**

From 1406142300 to 1712311559  
TWO HAMMERHEAD CRANES, HGT 277.2FT AMSL, ERECTED AT 012111.35N1035548.65E (BEARING 95.4 DEGREES, DISTANCE 1.65NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**A1131/14 NOTAMR A1109/14**

From 1406110053 to 1506301559  
FOUR LUFFER CRANES, HGT 700FT AMSL, ERECTED AT 011744N1034834E (BEARING 237.3 DEGREES, DISTANCE 6.64NM FROM WSAP ARP-WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**A1034/14**

From 1405312300 to 1606011559  
ONE MOBILE CRANE, HGT 213.12FT AMSL, ERECTED AT 012007.30N1035325.14E (BEARING 211.5DEGREES, DISTANCE 1.43NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANE MARKED AND LIGHTED AT NIGHT.

**A1022/14**

From 1406010001 to 1612011559  
TWO LUFFER CRANES, HGT 277.2FT AMSL, WILL BE ERECTED AT 011857.57N 1035238.92E (BRG/RANGE: 212.5DEG/2.83NM FROM WSAP ARP-WI WSAP CTR). CRANES WILL BE MARKED AND LIGHTED AT NGT.

**A0998/14**

From 1405311601 to 1606301559  
ONE TOWER CRANE, HGT 149.85FT AMSL, ERECTED AT 012155.29N1035428.96E (BEARING 28.7 DEGREES, DISTANCE 0.66NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR).CRANES MARKED AND LIGHTED AT NIGHT.

**A0997/14**

From 1405312300 to 1712311559  
ONE LUFFER CRANE, HGT 279.72FT AMSL, ERECTED AT 012057.57N1035238.11E (BEARING 255.9 DEGREES, DISTANCE 1.58NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**A0996/14**

From 1405312300 to 1706011559  
THREE TOPLESS CRANE, HGT 279.72FT AMSL, ERECTED AT 012233.24N1035253.51E (BEARING 313.5 DEGREES, DISTANCE 1.76NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**A0995/14**

From 1405312300 to 1606011559  
NINE LUFFER CRANES, HGT 416.25FT AMSL, ERECTED AT 012343.78N1035336.49E (BEARING 346.8 DEGREES, DISTANCE 2.45NM FROM WSAP AERODROME REFERENCE POINT - WI WSAP CTR). CRANES MARKED AND LIGHTED AT NIGHT.

**WSSS(SINGAPORE / SINGAPORE CHANGI INTL)**

**A0385/15**

From 1503020130 to 1503140900  
MAR 2-7 9-14 0130/0900 TWY A7 BTN TWY A1 AND A3 CLOSED DUE TO WIP. RMK/BOTH JUNCTIONS NOT AFFECTED.

**A0381/15**

From 1503062315 to 1503062330  
RWY 02C/20C CLOSED

**A0380/15**

From 1503062300 to 1503062305  
RWY 02L/20R CLOSURE BTN 2300/2305 ON 6 MAR CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12

**A0379/15**

From 1503061720 to 1503062325  
RWY 02C/20C CLOSURE BTN 1720/1730, 1930/2100 AND 2320/2325 ON 6 MAR CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12

**A0366/15**

From 1503012320 to 1503302325  
RWY 02C/20C CLOSURE BTN 2320/2325 ON MAR 1-2 4-5 7-9 11-12 15 17 19-22 26-27 29-30 CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

**A0365/15**

From 1503012315 to 1503302330  
MAR 1-2 4-5 7-9 11-12 15 17 19-22 26-27 29-30 2315-2330 RWY 02L/20R CLOSED.

**A0364/15**

From 1503032315 to 1503312330  
MAR 03 10 14 24 28 31 2315-2330 RWY 02C/20C CLOSED.

**A0363/15**

From 1503011745 to 1503301915  
RWY 02L/20R CLOSURE BTN 1745/1915 ON MAR 1-2 4-5 7-9 11-12 15 17 19-22 26-27 29-30 CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

**A0362/15**

From 1503032300 to 1503312305  
RWY 02L/20R CLOSURE BTN 2300/2305 ON 3 10 14 24 28 31 MAR CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

**A0361/15**

From 1503031930 to 1503312100  
RWY 02C/20C CLOSURE BTN 1720/1730, 1930/2100 ON 3 10 14 24 28 31 MAR CNL. REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12.

**A0359/15**

From 1502250450 to PERM  
ACFT TYPE B737 SERIES CAN BE PARKED AT AIRCRAFT STAND B3. AMEND AIP SINGAPORE PAGE WSSS AS 2-6.5 ACCORDINGLY.

**A0358/15**

From 1502280000 to 1504300000  
TWY A1 OPERATION IS RESTRICTED TO ACFT UP TO AND INCLUDING 65M WINGSPAN..

**A0344/15**

From 1503050000 to 1503192359  
TRIGGER NOTAM - PERM AIRAC AIP SUP 385/14 WEF 5 MAR 15 NEW STANDARD TERMINAL ARRIVAL ROUTE (STAR) FOR SINGAPORE CHANGI AIRPORT.

**A0335/15**

From 1503030100 to 1503030800  
THE FOLLOWING AIRFIELD LIGHTING AT RWY 02C/20C WILL BE LIMITED DUE TO WIP. 1)50 PERCENT OF RWY CENTRELINE LIGHTS, 2)70 PERCENT OF RWY EDGE LIGHTS AND RWY END LIGHTS, 3)APPROACH LIGHTS AT RWY 02C, 4)SEQUENTIAL STROBE LIGHTS AT RWY 02C 5)HIGH SPEED AND LEAD IN LIGHTS FROM TWY E5 TO TWY E11 6)TWY CENTRLINE, TWY STOPBAR AND TWY EDGE LIGHTS AT SOUTHERN SIDE OF RWY 02C/20C BETWEEN TWY NC3 AND TWY B3 7)AIRCRAFT STAND MANOEUVRING GUIDANCE LIGHTS AT PARKING STANDS 1 TO 14.

**A0333/15**

From 1502180230 to 1503062300  
TWY WP AT JUNCTION OF TWY W1 AND WP, INCLUDING TWY W1, CLOSED DUE TO WIP.

**A0324/15**

From 1502260200 to 1505060900

ACFT STAND E11 CLOSED DUE TO WIP.

**A0271/15**

From 1502230100 to 1503091000  
FEB 23-28 0100-1000, MAR 01-09 0100-1000 REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 506 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE NORTH ONLY PHRASEOLOGY USED BY SINGAPORE GROUND 'PUSHBACK APPROVED, TO FACE NORTH'.

**A0270/15**

From 1502230100 to 1503091000  
FEB 23-28 0100-1000, MAR 01-09 0100-1000 REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 505 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE NORTH ONLY PHRASEOLOGY USED BY SINGAPORE GROUND 'PUSHBACK APPROVED, TO FACE NORTH'.

**A0269/15**

From 1502230100 to 1503091000  
FEB 23-28 0100-1000, MAR 01-09 0100-1000 TWY WC BEHIND ACFT STANDS 507 TO 509 CLOSED DUE TO WIP.

**A0204/15**

From 1502030400 to PERM  
FRANGIBLE POLES, HGT FROM 2.720M TO 6.097M AMSL, ARE INSTALLED APPROXIMATELY 200M FROM THE CENTRE OF THE RET FOR THE PURPOSE OF IDENTIFYING 58 METRES AWAY FROM THE CENTRELINE OF TWY WP TOWARDS RWY 02L/20R

**A0187/15**

From 1501310000 to PERM  
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STANDS 103, 104, 200, 201, 202, 203, 205, 206, 300, 302, 310, 400 AND 401. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.6 ACCORDINGLY.

**A0186/15**

From 1501310000 to PERM  
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STANDS F31, F50, F52, F54, F56, F58, F59 AND F60. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.4 ACCORDINGLY.

**A0185/15**

From 1501310000 to PERM  
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STANDS E20, E22, E26, E27 AND E28. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.3 ACCORDINGLY.

**A0184/15**

From 1501310000 to PERM  
ACFT TYPE B787-900 CAN BE PARKED AT ACFT STAND C20. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.1 ACCORDINGLY.

**A0182/15**

From 1503010000 to 1503311200  
MAR 01-31 0000-1200 ACFT STAND 9 CLOSED DUE TO WIP.

**A0181/15**

From 1502010000 to 1503311200  
FEB 01-28, MAR 01-31 0000-1200 ACFT STAND 11 CLOSED DUE TO WIP.

**A0179/15**

From 1502010000 to 1503311200  
FEB 01-28, MAR 01-31 0000-1200 ACFT STAND 8 CLOSED DUE TO WIP.

**A0178/15**

From 1503010000 to 1503311200  
MAR 01-31 0000/1200 ACFT STAND 6 CLOSED DUE TO WIP.

**A0176/15**

From 1502010000 to 1503311200  
FEB 01-28, MAR 01-31 0000-1200 ACFT STAND 16 CLOSED DUE TO WIP.

**A0154/15**

From 1501261253 to PERM  
A HELICOPTER SHALL NOT BE OPERATED WI THE WSSS CTR OR OUTSIDE OF HELI-ROUTE CHARLIE UNLESS PRIOR PERMISSION HAS BEEN OBTAINED THROUGH CAAS(UNDERScore)ATS(UNDERScore)ANSP(AT)CAAS.GOV.SG

**A0133/15**

From 1501220915 to 1504220000  
TWY NC3 (BETWEEN TWY WA AND TWY A6) CAN ONLY BE USED BY AIRCRAFT WITH MAXIMUM WINGSPAN 52M.

**A2619/14 NOTAMR A1266/14**

From 1412310238 to 1503312359  
TEMPORARY OBSTACLE (CLUSTER OF TREES), HGT 141FT AGL, LOCATED AT 012243.6N 1040011.8E (BEARING/RANGE:35 DEG/1.44NM FROM WSSS ARP).

**A2618/14 NOTAMR A1265/14**

From 1412310215 to 1503312359  
TEMPORARY OBSTACLE (CLUSTER OF TREES), HGT 134FT AGL, LOCATED AT 012226.3N 1040018.9E (BEARING/RANGE:47 DEG/1.30NM FROM WSSS ARP)

**A2615/14**

From 1412311600 to 1503311559

REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 509 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE SOUTH UNTIL ITS NOSEWHEEL IS AT THE INTERSECTION OF THE PUSHBACK LINE AND TWY WC CENTRELINE. THE AIRCRAFT SHALL THEN BE TOWED FORWARD UNTIL ITS NOSEWHEEL IS AT THE EOT LINE BEHIND AIRCRAFT STAND 507. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY SINGAPORE GROUND 'STANDARD PUSHBACK APPROVED'.

**A2614/14**

From 1412311600 to 1503311559

REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 508 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE SOUTH UNTIL ITS NOSEWHEEL IS AT THE INTERSECTION OF THE PUSHBACK LINE AND TWY WC CENTRELINE. THE AIRCRAFT SHALL THEN BE TOWED FORWARD UNTIL ITS NOSEWHEEL IS AT THE EOT LINE BEHIND AIRCRAFT STAND 507. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY SINGAPORE GROUND 'STANDARD PUSHBACK APPROVED'.

**A2613/14**

From 1412311600 to 1503311559

REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND 507 THE AIRCRAFT (ON IDLE THRUST) SHALL BE PUSHED BACK TO FACE SOUTH UNTIL ITS NOSEWHEEL IS AT THE INTERSECTION OF THE PUSHBACK LINE AND TWY WC CENTRELINE. THE AIRCRAFT SHALL THEN BE TOWED FORWARD UNTIL ITS NOSEWHEEL IS AT THE EOT LINE BEHIND AIRCRAFT STAND 507. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY SINGAPORE GROUND 'STANDARD PUSHBACK APPROVED'.

**A2588/14**

From 1412260816 to 1503312359

REFERENCE TO AIP SUPPLEMENT 86/14 DATED 19TH MARCH PARAGRAPH 2.1, AMEND DECEMBER 2014 TO READ AS 2359UTC ON 31 MARCH 2015. REST NO CHANGE

**A2581/14 NOTAMR A1879/14**

From 1412260507 to 1503292359 EST

8 CRANES, HGT 64M, OPERATING WI 012009.2556N1035853.1560E 012006.2794N1035900.1175E 012030.8538N1035910.7384E 012000.4910N1035905.2448E 012031.9387N1035904.7785E 012030.3787N1035908.5932E 012025.2734N1035906.4458E 012029.0063N1035857.7030E 012028.2333N1035855.5698E 012020.3383N1035852.2561E 012018.4050N1035852.4510E (BEARING 172 DEGREES, DISTANCE 1.03NM FROM WSSS ARP- WI WSSS CTR) CRANES MARKED AND LIGHTED AT NIGHT.

**A2203/14**

From 1411100100 to 1503311000

AIRCRAFT STAND 404 CLOSED DUE TO WIP.

**A1976/14**

From 1410070200 to 1512310900

ACFT STAND 101R CLOSED DUE TO WIP.

**A1975/14**

From 1410070200 to 1512310900

ACFT STAND 101 CLOSED DUE TO WIP.

**A1291/14**

From 1407040409 to PERM

ACFT TYPE B772LR CAN BE PARKED AT ACFT STANDS 502, 503, 504, 505, 506, 507, 508, 509, 601, 602, 603 AND 604. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.7 ACCORDINGLY

---

**Latest AIC Issued**

AIC: 1/15 2 Jan 15

**Latest AIP Amendment Issued**

AIP AMENDMENT: 1/15 8 Jan 15

**Latest AIP Supplement Issued**

AIP SUPPLEMENT: 45/15 19 Feb 15

CHECKLIST OF AIP SUPPLEMENTS:

2014 - 1, 2, 3, 4, 5, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 51, 52, 53, 54, 55, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 86, 124, 125, 126, 127, 128, 134, 135, 136, 137, 138, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 273, 274, 275, 279, 286, 287, 288, 289, 291, 292, 293, 294, 296, 297, 298, 299, 300, 302, 303, 308, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 325, 326, 327, 328, 329, 330, 333, 334, 335, 336, 337, 340, 341, 342, 343, 350, 351, 352, 353, 354, 360, 361, 362, 363, 364, 365, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384 AND 385.

2015 - 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44 AND 45.

AIP SUPPLEMENTS CANCELLED SINCE LAST CHECKLIST:

2014 - 108, 109, 110, 111, 112, 278, 332 AND 344.