



Civil Aviation Authority of Singapore

NOTAM LIST

Telephone: 65-65956051
AFS: WSSSYNYX
Facsimile: 65-65431826
caas_singaporeais@caas.gov.sg
www.caas.gov.sg

REPUBLIC OF SINGAPORE
AERONAUTICAL INFORMATION SERVICES
CIVIL AVIATION AUTHORITY OF SINGAPORE
SINGAPORE CHANGI AIRPORT
P.O. BOX 1, SINGAPORE 918141

REFERENCE NO. WSSSYNYX
05/13
01 May 2013

THE FOLLOWING NOTAM A SERIES ARE **STILL IN FORCE ON 01 May 2013 00:42:29 UTC**. NOTAM NOT INCLUDED IN THIS LIST HAVE EITHER BEEN CANCELLED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN AIP.

ENROUTE / GENERAL

WSJC(SINGAPORE FIR)

A0943/13 NOTAMR A0716/13

From 1305010003 to 1306010003 EST
CHECKLIST YEAR=2012 1635 2186 2547 YEAR=2013 0144 0145 0146 0250 0251 0252 0253 0254 0255 0256 0257 0258 0287 0295 0296 0297 0299 0300 0301 0302 0303 0304 0305 0307 0316 0383 0387 0435 0437 0438 0439 0440 0441 0539 0546 0573 0574 0587 0618 0628 0644 0655 0656 0682 0688 0699 0700 0701 0702 0709 0710 0711 0712 0713 0722 0733 0740 0744 0784 0788 0794 0821 0823 0824 0838 0839 0850 0861 0862 0870 0871 0872 0875 0879 0880 0882 0883 0884 0885 0894 0895 0896 0897 0898 0903 0904 0905 0906 0907 0908 0909 0910 0912 0913 0916 0917 0918 0919 0920 0921 0922 0923 0924 0925 0926 0927 0928 0929 0930 0931 0934 0937 0938 0941 LATEST PUBLICATIONS AIP AMENDMENT: 2/13 7 MAR 13 AIP SUPPLEMENT: 64/13 4 MAR 13 AIC: 2/13 12 APR 13

A0931/13

From 1305032300 to 1305041100
AIR ACTIVITIES WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.

Lower Limit: SFC **Upper Limit:** 2000FT MSL

A0930/13

From 1305010100 to 1305260700
BTN 0100/0700 ON 1, 4, 5, 11, 12, 19, 24, 26, BTN 0500/0900 ON 18 AND 25 MAY AEROMODELLING WILL TAKE PLACE WI 0.3NM RADIUS OF 012432.22N 1034745.57E (BRG 050 RANGE, 2NM FROM WSAG ARP). ALL PILOTS ARE TO EXERCISE CAUTION.

Lower Limit: GND **Upper Limit:** 200 FT AGL

A0929/13

From 1305242300 to 1305251100
WSD4 (P.PAWAI/P.SENANG) ACT.

Lower Limit: SFC **Upper Limit:** FL160

A0924/13

From 1305011100 to 1305311500
BTN 1100/1500 ON 1 TO 3, 6 TO 10, 13 TO 17, 20 TO 24 AND 27 TO 31 MAY WSD4 (P.PAWAI/P.SENANG) ACT.

Lower Limit: GND **Upper Limit:** FL160

A0923/13

From 1304302300 to 1305261100
BTN 2300/1100 ON 30APR/1MAY, 4/5, 11/12, 18/19 AND 25/26 MAY WSD4 (P.PAWAI/P.SENANG) ACT.

Lower Limit: GND **Upper Limit:** FL160

A0920/13

From 1305010030 to 1305311520
BTN 0030/0050, 0100/0120, 0130/0150, 0200/0220, 0230/0250, 0300/0320, 0330/0350, 0400/0420, 0430/0450, 0500/0520, 0530/0550, 0600/0620, 0630/0650, 0700/0720, 0730/0750, 0800/0820, 0830/0850, 0900/0920, 0930/0950, 1000/1020, 1030/1050, 1100/1120, 1130/1150, 1200/1220, 1230/1250, 1300/1320, 1330/1350, 1400/1420, 1430/1450, 1500/1520 ON 1 TO 31 MAY PYROTECHNIC DISPLAY WILL TAKE PLACE AT 011511.71N 1034931.07E (WI WSAP CTR)

Lower Limit: GND **Upper Limit:** 169FT AGL

A0919/13

From 1305011000 to 1305311515
BTN 1000/1015, 1030/1045, 1100/1115, 1130/1145, 1200/1215, 1230/1245, 1300/1315, 1330/1345, 1400/1415, 1430/1445, 1500/1515 ON 1 TO 31 MAY PYROTECHNIC DISPLAY WILL TAKE PLACE AT 011531.13N 1034918.88E (WI WSAP CTR).

Lower Limit: GND **Upper Limit:** 169FT AGL

A0918/13

From 1305022300 to 1305310900
BTN 2300/0900 ON 2/3, 4/5, 11/12, 16/17, 18/19, 21/22, 23/24, 25/26, 27/28, 28/29, 30/31, BTN 2300/0500 ON 7/8, 14/15, BTN 2300/0830 ON 6/7, BTN 2300/0400 ON

9/10, BTN 2300/0715 ON 13/14 AND 2300/0800 ON 20/21 MAY ONE MINI UNMANNED AERIAL VEHICLE OPERATING WI 1 KM RADIUS OF 011555N 1033732E (WI WSAT ATZ).

Lower Limit: GND **Upper Limit:** 200FT AGL

A0917/13

From 1305010001 to 1305260400
AEROMODELLING WILL TAKE PLACE AT 012330N 1034016E (WI WSAT ATZ).ALL PILOTS ARE TO EXERCISE CAUTION.

Lower Limit: SFC **Upper Limit:** 200 FT AGL

A0910/13

From 1305022300 to 1305031100
AIR ACTIVITIES WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.

Lower Limit: SFC **Upper Limit:** 2000FT MSL

A0909/13

From 1305012300 to 1305021100
AIR ACTIVITIES WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.

Lower Limit: SFC **Upper Limit:** 2000FT MSL

A0908/13

From 1304302300 to 1305011100
AIR ACTIVITIES WILL TAKE PLACE WI 3NM RADIUS OF 011948N 1042424E.

Lower Limit: SFC **Upper Limit:** 2000FT MSL

A0907/13

From 1305060000 to 1305121700
BTN 0000/1700 ON 6, 9 TO 12 MAY WSD11A ACT.

Lower Limit: SFC **Upper Limit:** FL125

A0906/13

From 1305060000 to 1305121700
BTN 0000/1700 ON 6, 9 TO 12 MAY WSD11B ACT.

Lower Limit: SFC **Upper Limit:** FL125

A0884/13

From 1304290001 to 1305040500
BTN 0001/1100 FROM 29 APR TO 3 MAY AND 040001/0500 MAY FIRING WILL TAKE PLACE WI WSD13.

Lower Limit: SFC **Upper Limit:** FL400

A0883/13

From 1304282300 to 1305040500
BTN 2300/1559 ON 28/29, 29/30 APR, 04302300/05031559 AND 040001/0500 MAY WSD20 ACT.

Lower Limit: SFC **Upper Limit:** 2000FT MSL

A0882/13

From 1304282300 to 1305040500
BTN 2300/1559 ON 28/29, 29/30 APR, 04302300/05031559 AND 040001/0500 MAY FIRING WILL TAKE PLACE WI WSD 14/15/44/45.

Lower Limit: SFC **Upper Limit:** FL550

A0875/13

From 1305042300 to 1305050100
LOW LEVEL OVER WATER SPRAY ACTIVITY WILL TAKE PLACE WI AREA BOUNDED BY 013000N1044404E, 013000N1052404E, 010001N1052404E AND 010001N1044404E.

Lower Limit: SFC **Upper Limit:** 2500FT MSL

A0862/13

From 1304290000 to 1305051700
BTN 0000-1700 ON 29 APR AND FROM 2 TO 5 MAY WSD11B ACT.

Lower Limit: SFC **Upper Limit:** FL125

A0861/13

From 1304290000 to 1305051700
BTN 0000-1700 ON 29 APR AND FROM 2 TO 5 MAY WSD11A ACT.

Lower Limit: SFC **Upper Limit:** FL125

A0287/13

From 1302180000 to 1305242359
VTK DVOR 116.5MHZ NOT AVAILABLE DUE TO SYSTEM REPLACEMENT. VTK DME CH112X NOT AVAILABLE DUE TO SYSTEM REPLACEMENT.

AERODROMES

WSAP(PAYA LEBAR)

A0941/13

From 1305010001 to 1405311559
THREE TOPLESS AND TWO LUFFER CRANES, HGT 297FT AMSL ERECTED AT 012346.21N 1035342.16E (BEARING/RANGE: 349.2DEG/2.47NM FROM WSAP ARP)
DAILY FROM MON TO FRI BTN 1500-2200UTC AND FROM SAT 0500 TO SUN 2200 UTC. OUTSIDE THE STATED TIMINGS. CRANES WILL BE LOWERED TO HGT
278FT CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

A0921/13

From 1305011601 to 1305311559
PORTABLE ACFT ARRESTOR GEAR, P4, HEIGHT 2M, WILL BE DEPLOYED 90.0M SOUTH OF RWY 20 THRESHOLD, 10M FROM THE RWY EDG ON BOTH SIDES OF
THE RWY. PILOTS TO EXER CAUTION.ALL RWY 20 INBOUND SHALL LAND 152M UP RWY 20 THRESHOLD, LDA 3628M.

A0905/13

From 1304302259 to 1308311559
SEVEN TOPLESS CRANES, HGT 277.2FT AMSL ERECTED AT 012437.29N 1035437.70E (BEARING/RANGE: 80DEG/3.31NM FROM WSAP ARP). CRANES WILL BE
MARKED AND LIGHTED AT NIGHT.

A0904/13

From 1304302259 to 1511011559
ONE LUFFER CRANE, HGT 277.2FT AMSL ERECTED AT 011949.05N 1035205.68E (BEARING/RANGE: 233.6DEG/2.57NM FROM WSAP ARP). CRANE WILL BE
MARKED AND LIGHTED AT NIGHT.

A0903/13

From 1304302259 to 1407311559
THREE LUFFER CRANES, HGT 396FT AMSL, ERECTED AT 011917.84N 1035153.92E (BEARING/RANGE: 227.9DEG/3.05NM FROM WSAP ARP). CRANES WILL BE
MARKED AND LIGHTED AT NIGHT.

A0880/13 NOTAMR A0695/13

From 1304250331 to 1407311559
TWO LUFFER CRANES, HGT 591FT AMSL, ERECTED AT 011801.21N 1034713.78E (BRG/RANGE:244DEG/8.22NM FROM WSAP ARP). CRANES MARKED AND
LIGHTED AT NIGHT.

A0879/13 NOTAMR A0664/13

From 1304250326 to 1403311559
ONE CRAWLER CRANE, HGT 251FT AMSL, ERECTED AT 012454.32N 1035507.29E (BEARING/RANGE: 15DEG/3.69NM FROM WSAP ARP). CRANE MARKED AND
LIGHTED AT NIGHT.

A0850/13

From 1304190400 to 1506011559
SIX HAMMERHEAD CRANES, HGT 277FT AMSL, ERECTED AT 012419.44N 1035358.59E (BEARING 356.3 DEGREES, DISTANCE 2.99NM FROM WSAP ARP-WI WSAP
CTR). CRANES MARKED AND LIGHTED AT NIGHT.

A0824/13

From 1304150001 to 1612311559
ONE LUFFER CRANE, HGT 663.3FT AMSL, WILL BE ERECTED AT 011937.29N 1035008.10E (BEARING/RANGE: 246.9DEG/4.38NM FROM WSAP ARP), CRANES
MARKED AND LIGHTED AT NIGHT.

A0823/13

From 1304150001 to 1612311559
TWO LUFFER CRANES, HGT 726FT AMSL, WILL BE ERECTED AT 011626.76N 1035044.59E (BEARING/RANGE: 215DEG/5.98NM FROM WSAP ARP), CRANES
MARKED AND LIGHTED AT NIGHT.

A0821/13

From 1304150001 to 1512311559
ONE LUFFER CRANES, HGT 594FT AMSL, WILL BE ERECTED AT 011938.51N 1035034.05E (BEARING/RANGE: 119.4DEG/1.80NM FROM WSAP ARP), CRANES
MARKED AND LIGHTED AT NIGHT.

A0794/13

From 1304142300 to 1512311559
A CRANE, HGT 277.2FT AMSL, WILL BE ERECTED AT 011942.56N 1035242.16E (BRG/RANGE: 221.9DEG/2.19NM FROM WSAP ARP). CRANE MARKED AND
LIGHTED AT NIGHT.

A0788/13

From 1304100913 to 1612311559
THREE LUFFER CRANE, HGT 554 FT AMSL, WILL BE ERECTED AT 011756.75N 1034550.27E (BEARING/RANGE: 248DEG/9.00NM FROM WSAP ARP). CRANES
MARKED AND LIGHTED AT NIGHT.

A0744/13

From 1304042300 to 1504301559
SIX TOPLESS CRANES, HGT 277FT AMSL, WILL BE ERECTED AT 011948.24N 1035322.29E (BEARING/RANGE: 207DEG/1.73NM FROM WSAP ARP). CRANES
MARKED AND LIGHTED AT NIGHT.

A0722/13

From 1304010745 to 1309301559
ONE CRAWLER CRANE, HGT 215FT AMSL ERECTED AT 012025.13N 1035329.19E (BEARING/RANGE: 216DEG/1.15NM FROM WSAP ARP). CRANE MARKED AND
LIGHTED AT NIGHT.

A0713/13

From 1304010001 to 1603311559
FIVE CRANES, HGT 330FT AMSL, WILL BE ERECTED AT 012333.24N 1035215.40E (BEARING/RANGE: 319.2DEG/2.92NM FROM WSAP ARP). CRANES MARKED AND
LIGHTED AT NIGHT.

A0712/13

From 1304010001 to 1507281559
FOUR CRANES, HGT 594FT AMSL, WILL BE ERECTED AT 011636.49N 1034836.89E (BEARING/RANGE: 229.5DEG/7.3NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

A0711/13

From 1304010001 to 1604011559
FIVE CRANES, HGT 278FT AMSL, WILL BE ERECTED AT 012408.18N 1035423.51E (BEARING/RANGE: 4.6DEG/2.8NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0710/13

From 1304010001 to 1502281559
SIX CRANES, HGT 278FT AMSL, WILL BE ERECTED AT 012034.86N 1035630.0E (BEARING/RANGE: 108.1DEG/2.45NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0709/13

From 1304010001 to 1504011559
FIVE CRANES, HGT 278FT AMSL, WILL BE ERECTED AT 012413.78N 1035414.19E (BEARING/RANGE: 1.4DEG/2.89NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0688/13

From 1303271005 to 1503141559
ONE MOBILE CRANE, HGT 271FT AMSL, ERECTED AT 012311.35N 1035556.76E (BRG/RANGE: 30.5DEG/1.89NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0682/13

From 1303270001 to 1311141559
ONE CRAWLER CRANE, HGT 466FT AMSL, WILL BE ERECTED AT 012038.10N 1035260.08E (BEARING/RANGE: 251.1DEG/2.18NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

A0628/13

From 1303152300 to 1311091559
ONE LUFFER CRANE, HGT 330FT AMSL, ERECTED AT 011845.41N 1035309.32E (BEARING/RANGE: 201DEG/2.78NM FROM WSAP ARP). CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

A0618/13

From 1303152300 to 1311091559
ONE TOWER CRANE, HGT 215FT AMSL, ERECTED AT 012251.89N 1035725.94E (BRG/RANGE: 65DEG/3.6NM FROM WSAP ARP). CRANE MARKED AND LIGHTED AT NIGHT.

A0587/13

From 1303110745 to 1305311559
ONE TOPLESS CRANE, HGT 278FT AMSL, ERECTED AT 011945.54N 1035454.29E (BRG/RANGE: 181.7DEG/2NM FROM WSAP ARP). CRANE MARKED AND LIGHTED AT NIGHT.

A0574/13

From 1303150001 to 1503151559
FIVE LUFFER CRANES, HGT 545FT AMSL, ERECTED AT 011745.40N 1034831.62E (BRG/RANGE: 237DEG/7.43NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0573/13

From 1303150001 to 1503151559
THREE LUFFER CRANES, HGT 528FT AMSL, ERECTED AT 011845.41N 1035148.65E (BRG/RANGE: 225.8DEG/4.31NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0539/13

From 1303060001 to 1312311559
ONE LUFFER CRANE, HGT 300M AMSL, ERECTED AT 011627.85N 1035039.41E (BEARING/RANGE: 219DEG/6.7NM FROM WSAP ARP) DAILY FROM MON TO FRI BTN 1500-2200UTC AND FROM SAT 0500UTC TO SUN 2200UTC. OUTSIDE THE STATED TIMINGS, CRANE WILL BE LOWERED TO 280M AMSL. CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

A0441/13

From 1303010700 to 1512302359
THREE SADDLE CRANES, HGT 277FT AMSL, ERECTED AT 012122.70N 1035627.57E (BEARING/RANGE: 100DEG/1.69NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT. CORR COPY.

A0440/13

From 1303010700 to 1512302359
TWO SADDLE CRANES, HGT 277FT AMSL, ERECTED AT 012031.62N 1035442.97E (BEARING/RANGE: 188DEG/1.18NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0439/13

From 1303010700 to 1603312359
TWO LUFFER CRANES, HGT 310FT AMSL, ERECTED AT 012327.86N 1035234.86E (BEARING/RANGE: 308DEG/2.87NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0438/13

From 1303010001 to 1512311559
ONE HAMMER HEAD CRANE AND TWO LUFFER CRANES, HGT 594FT AMSL, ERECTED AT 011818.24N 1034932.02E (BEARING/RANGE: 237DEG/6.29NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0437/13

From 1303010001 to 1404211559
TWO TOWER CRANES, HGT 238FT AMSL, ERECTED AT 012017.83N 1035430.81E (BEARING/RANGE: 192.2DEG/1.34NM FROM WSAP ARP). CRANES MARKED AND LIGHTED AT NIGHT.

A0435/13

From 1303010001 to 1408311559
TWO TOWER CRANES, HGT 278FT AMSL, WILL BE ERECTED AT 012323.51N 1035338.92E (BEARING/RANGE: 325.4DEG/2.1NM FROM WSAP ARP). CRANES WILL BE MARKED AND LIGHTED AT NIGHT.

A0387/13

From 1302190610 to 1312311559
TWO MOBILE CRANE, HGT 32.3M, ERECTED AT 012015.00N 1035401.62E (BRG/RANGE: 203DEG/1.45NM FROM WSAP ARP) DAILY FROM MON TO FRI BTN 1500-2200UTC AND FROM SAT 0500UTC TO SUN 2200UTC. OUTSIDE STATED TIMINGS CRANES WILL BE LOWERED TO 19.9M. CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

A0383/13 NOTAMR A0239/13

From 1302180927 to 1311301559
ONE TOWER CRANE, HGT 85M, WILL BE ERECTED AT 012321.9N 1035400.80E (BRG/RANGE: 343DEG/1.8NM FROM WSAP ARP). CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

A2547/12

From 1211202300 to 1308011559
ONE LUFFER CRANE, HGT 277.2FT AMSL, WILL BE ERECTED AT 011933.24N 1035548.65E (BRG/RANGE: 156DEG/2.33NM FROM WSAP ARP). CRANE WILL BE MARKED AND LIGHTED AT NIGHT.,

WSSS(SINGAPORE / SINGAPORE CHANGI INTL)

A0938/13

From 1305101700 to 1305102230
TWY EP BTN TWY C1 AND TWY B2 CLOSED DUE TO WIP. (RMK/ACFT STANDS F36, F35 AND TWY BEHIND THESE STANDS TO BE CLSD)

A0937/13

From 1305080200 to 1305080830
TWY WA BTN TWY V6 AND V7 INCLUDING ACFT STANDS A2 TO A4 CLOSED DUE TO WIP.

A0934/13

From 1305070200 to 1305070800
TWY SC2 BTN TWY U3 AND C6 CLOSED DUE TO WIP.

A0928/13

From 1305102315 to 1305102330
RWY 02L/20R CLOSED.

A0927/13

From 1305102320 to 1305102325
REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02C/20C CLOSURE BTN 2320/2325 ON 10 MAY CNL.

A0926/13

From 1305101745 to 1305101915
REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02L/20R CLOSURE BTN 1745/1915 ON 10 MAY CNL.

A0925/13

From 1305101700 to 1305102230
TWY EP BTN TWY C1 AND B2 INCLUDING ACFT STANDS F35 AND F36 CLOSED DUE TO WIP.

A0922/13

From 1304300900 to 1305310900
TWY WA BETWEEN NC2 AND NC3 CLOSURE DUE TO WIP. TWY NC2 AND NC3 ARE NOT AFFECTED.

A0916/13

From 1305101700 to 1305102300
TWY EP BTN TWY L8 TO E11 CLOSED DUE TO WIP.

A0913/13

From 1305031700 to 1305032300
TWY WP BTN TWY V3 AND W1 CLOSED DUE TO WIP.

A0912/13

From 1305011700 to 1305012100
JUNCTION OF TWY C6/C1 BEHIND ACFT STAND F59 INCLUDING THE STAND CLOSED DUE TO WIP.

A0898/13

From 1305020200 to 1306120830
BTN 0200/0830 ON 2 TO 4, 6 TO 11, 13 TO 18, 20 TO 23, 25, 27 MAY TO 1 JUN, 3 TO 8 AND 10 TO 12 JUN TWY WA BEHIND AIRCRAFT STANDS B2, B3 AND B4 INCLUDING THESE STANDS CLOSED DUE TO WIP.

A0897/13

From 1305020200 to 1306120830

BTN 0200/0830 ON 2 TO 4, 6 TO 11, 13 TO 18, 20 TO 23, 25, 27 MAY TO 1 JUN, 3 TO 8 AND 10 TO 12 JUN REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND B5 PUSHBACK TO FACE NORTH IS NOT PERMITTED. THE AIRCRAFT(ON THE IDLE THRUST) SHALL BE PUSHED BACK ONTO TWY U1 TO FACE SOUTH SUCH THAT THE PUSHBACK LINE IS ALWAYS KEPT MIDWAY BETWEEN THE AIRCRAFT MAIN GEAR UNTIL ITS NOSE OF THE AIRCRAFT IS BEHIND THE STOPBAR BEHIND AIRCRAFT STAND B7. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY GROUND 'PUSHBACK APPROVED TO FACE SOUTH'

A0896/13

From 1305020200 to 1306120830

BTN 0200/0830 ON 2 TO 4, 6 TO 11, 13 TO 18, 20 TO 23, 25, 27 MAY TO 1 JUN, 3 TO 8 AND 10 TO 12 JUN REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND B6 PUSHBACK TO FACE NORTH IS NOT PERMITTED. THE AIRCRAFT(ON THE IDLE THRUST) SHALL BE PUSHED BACK ONTO TWY U1 TO FACE SOUTH SUCH THAT THE PUSHBACK LINE IS ALWAYS KEPT MIDWAY BETWEEN THE AIRCRAFT MAIN GEAR UNTIL ITS NOSE OF THE AIRCRAFT IS BEHIND THE STOPBAR BEHIND AIRCRAFT STAND B7. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY GROUND 'PUSHBACK APPROVED TO FACE SOUTH'

A0895/13

From 1305020200 to 1306120830

BTN 0200/0830 ON 2 TO 4, 6 TO 11, 13 TO 18, 20 TO 23, 25, 27 MAY TO 1 JUN, 3 TO 8 AND 10 TO 12 JUN REVISED PUSHBACK PROCEDURE FOR AIRCRAFT STAND B7 PUSHBACK TO FACE NORTH IS NOT PERMITTED. THE AIRCRAFT(ON THE IDLE THRUST) SHALL BE PUSHED BACK ONTO TWY U1 TO FACE SOUTH UNTIL ITS NOSE OF THE AIRCRAFT IS BEHIND THE STOPBAR BEHIND AIRCRAFT STAND B7. THE AIRCRAFT MAY BREAKAWAY FROM THERE. PHRASEOLOGY USED BY GROUND 'PUSHBACK APPROVED TO FACE SOUTH'

A0894/13

From 1305011800 to 1305012200

TWY NC2 BTN TWY N1 AND N3 CLOSED DUE TO COMPASS SWING ACTIVITY.

A0872/13

From 1305032315 to 1305032330

RWY 02C/20C CLOSED.

A0871/13

From 1305032300 to 1305032305

REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02L/20R CLOSURE BTN 2300/2305 ON 3 MAY CNL.

A0870/13

From 1305031720 to 1305032325

REF AIP SINGAPORE PAGE WSSS AD 2-12 SECTION WSSS AD 2.12 ITEM 12, RWY 02C/20C CLOSURE BTN 1720/1730, 1930/2100 AND 2320/2325 ON 3 MAY CNL.

A0839/13

From 1304170900 to PERM

ACFT TYPE A330 CAN BE PARKED AT ACFT STANDS 601, 602, 603 AND 604. AMEND AIP SINGAPORE PAGE WSSS AD 2-6.7.

A0838/13

From 1304170048 to PERM

REF TO AIP SINGAPORE CHARTS WSSS AD 2-51 AND WSSS AD 2-53, GENERAL INFORMATION, INSERT - ON INITIAL CONTACT WHEN REQUESTING ATC, INFORM ATC OF THE FLIGHT LEVEL ACFT CAN CROSS ANITO.

A0784/13

From 1304150200 to 1307150800

ACFT STAND D42 CLOSED DUE TO WIP.

A0740/13

From 1304040414 to 1305022359

NIL AIRAC FOR EFFECTIVE DATE 2 MAY 13.

A0702/13 NOTAMR A0061/13

From 1303281154 to 1307312359

TEMPORARY OBSTACLE (TREE), HGT 31M AGL, LOCATED AT 012308N 1035921E (BEARING/RANGE: 1DEG/1.77NM FROM WSSS ARP)

A0701/13 NOTAMR A0046/13

From 1303281218 to 1307312359

TEMPORARY OBSTACLE (TREE), HGT 27.1M AGL, LOCATED AT 011920N 1035907E (BEARING/RANGE: 186DEG/2.23NM FROM WSSS ARP).

A0700/13 NOTAMR A0062/13

From 1303281158 to 1307312359

TEMPORARY OBSTACLE (TREE), HGT 26M AGL, LOCATED AT 012124.9N 1035958E (BEARING/RANGE: 102.5DEG/0.62NM FROM WSSS ARP)

A0699/13 NOTAMR A0060/13

From 1303281148 to 1307312359

TEMPORARY OBSTACLE (TREE), HGT 21M AGL, LOCATED AT 011923N 1035907E (BEARING/RANGE: 184DEG/2.17NM FROM WSSS ARP)

A0644/13

From 1303190300 to 1306200900

ACFT STAND 200 CLOSED DUE TO WIP.

A0316/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE INSTRUMENT APPROACH CHART WSSS AD 2-111, THE MISSED APPROACH PROCEDURE FOR ICC ILS/DME RWY 20C IS TEMPORARILY AMENDED TO READ AS FLW: CLIMB TO 4000FT VIA HEADING 203 TO ESLUX. AT ESLUX (1000FT OR ABOVE) TURN LEFT HEADING 143 TO EXOMO AND HOLD OR AS DIRECTED BY ATC.

A0305/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE PAGE ENR 3.5-2, DUE TO NON-AVAILABILITY OF VTK DVOR/DME, PARAGRAPH 1.6.3 IS TEMPORARILY AMENDED TO READ AS FLW: BTN 2301-1100 ALL ACFT DEPARTING ON RWY 20R/20C ON SID ARE REQUIRED TO CROSS 8 DME NORTH OF SJ AT OR ABOVE 2,000FT. IF THE HGT RESTRICTION CANNOT BE COMPLIED WITH, THE PILOT-IN-COMMAND OF AN ACFT DEPARTING ON RWY 20R/20C SHALL INFORM ATC DURING THE TIME WHEN THE ACFT COMMENCES TAXIING TO THE HOLDING POINT FOR DEPARTURE.

A0304/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE PAGE ENR 1.6-5, DUE TO NON-AVAILABILITY OF VTK DVOR/DME, PARAGRAPH 1.12.5 IS TEMPORARILY AMENDED TO READ AS FLW: ALTERNATIVELY, ACFT MAY JETTISON FUEL BETWEEN HOSBA AND POINT 90NM FROM SJ DVOR/DME ON AIRWAY G580.

A0303/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE PAGE ENR 1.6-5, DUE TO NON-AVAILABILITY OF VTK DVOR/DME, PARAGRAPH 1.12.3 C) IS TEMPORARILY AMENDED TO READ AS FLW: AFTER FUEL JETTISON, PROCEED TO NYLON HOLDING AREA (NHA) VIA AIRWAY W401. MAINTAIN 7,500FT. ON CROSSING SJ 042R TURN RIGHT TO INTERCEPT NHA. AT NHA, DESCEND TO CARRY OUT AN INSTRUMENT APPROACH ON RWY 20R/20C.

A0302/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE PAGE ENR 1.6-4, DUE TO NON-AVAILABILITY OF VTK DVOR/DME, PARAGRAPH 1.12.2 B) IS TEMPORARILY AMENDED TO READ AS FLW: HOLD AT NYLON HOLDING AREA (NHA) FOR 4 MINUTES AND LEAVE NHA ON TRACK 203 DEG. AT 25 DME NORTH OF SJ, TURN LEFT FOR HOSBA HOLDING AREA (HHA) TO JETTISON FUEL, MAINTAINING 7,500FT.

A0301/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE PAGE ENR 1.6-4, DUE TO NON-AVAILABILITY OF VTK DVOR/DME, PARAGRAPH 1.10.2 III)D) IS TEMPORARILY AMENDED TO READ AS FLW: CARRY OUT MISSED APPROACH PROCEDURE TO EXOMO. LEAVE EXOMO AT 4,000FT TO SAMKO HOLDING AREA (SHA) AND EXECUTE THE APPROPRIATE INSTRUMENT PROCEDURE FROM SHA TO LAND ON RWY 02L OR RWY 02C, AS APPROPRIATE.

A0300/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE CHART WSSS AD 2-113, VTK DVOR/DME RWY 20C INSTRUMENT APPROACH PROCEDURE IS TEMPORARILY NOT AVAILABLE DUE TO VTK DVOR/DME MAINTENANCE.

A0299/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE INSTRUMENT APPROACH CHART WSSS AD 2-115, THE MISSED APPROACH PROCEDURE FOR ICZ ILS/DME RWY 20L IS TEMPORARILY AMENDED TO READ AS FLW: CLIMB TO 500FT, THEN CLIMBING LEFT TURN TO 7000FT VIA HEADING 090 AND TO HOSBA (SJ R079/34DME) AND HOLD AT HOSBA HOLDING AREA OR AS DIRECTED BY ATC.

A0297/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE INSTRUMENT APPROACH CHART WSSS AD 2-107, THE MISSED APPROACH PROCEDURE FOR ICX ILS/DME RWY 02R IS TEMPORARILY AMENDED TO READ AS FLW: CLIMB TO 500FT, THEN CLIMBING RIGHT TURN TO 7000FT VIA HEADING 090 AND TO HOSBA (SJ R079/34DME) AND HOLD OR AS DIRECTED BY ATC.

A0296/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE CHART WSSS AD 2-105, VTK DVOR/DME RWY 02C INSTRUMENT APPROACH PROCEDURE IS TEMPORARILY NOT AVAILABLE DUE TO VTK DVOR/DME MAINTENANCE.

A0295/13

From 1302180000 to 1305242359

REFERENCE TO AIP SINGAPORE INSTRUMENT APPROACH CHART WSSS AD 2-103, THE MISSED APPROACH PROCEDURE FOR ICE ILS/DME RWY 02C IS TEMPORARILY AMENDED TO READ AS FLW: CLIMB TO 3000FT VIA HEADING 023 TO NYLON AND HOLD OR AS DIRECTED BY ATC.

A0258/13 NOTAMR A2459/12

From 1301300601 to 1307311559

TEMPORARY OBSTACLE (TREE), HGT 22M AGL, LOCATED AT 011901N 1035859E (BEARING/RANGE:190DEG/2.59NM FROM WSSS ARP).

A0257/13 NOTAMR A2460/12

From 1301300559 to 1307311559

TEMPORARY OBSTACLE (TREE), HGT 24M AGL, LOCATED AT 011901N 1035900E (BEARING/RANGE:188DEG/2.55NM FROM WSSS ARP).

A0256/13 NOTAMR A2461/12

From 1301300555 to 1307311559

TEMPORARY OBSTACLE (TREES), HGT 21M AGL, LOCATED AT 011923N 1035908E (BEARING/RANGE:186DEG/2.2NM FROM WSSS ARP).

A0255/13 NOTAMR A2462/12

From 1301300554 to 1307311559

TEMPORARY OBSTACLE (TREES), HGT 23 AGL, LOCATED AT 011930N 1035911E (BEARING/RANGE:185DEG/2.07NM FROM WSSS ARP).

A0254/13 NOTAMR A2463/12

From 1301300553 to 1307311559

TEMPORARY OBSTACLE (TREES), HGT 21M AGL, LOCATED AT 012004N 1035925E (BEARING/RANGE:178DEG/1.52NM FROM WSSS ARP).

A0253/13 NOTAMR A2464/12

From 1301300548 to 1307311559

TEMPORARY OBSTACLE (TREE), HGT 28M AGL, LOCATED AT 011945N 1035918E (BEARING/RANGE:182DEG/1.83NM FROM WSSS ARP).

A0252/13 NOTAMR A2465/12

From 1301300544 to 1307311559
TEMPORARY OBSTACLE (TREES), HGT 24M AGL, LOCATED AT 012045N 1035952E (BEARING/RANGE:147DEG/0.95NM FROM WSSS ARP).

A0251/13 NOTAMR A2466/12

From 1301300540 to 1307311559
TEMPORARY OBSTACLE (TREES), HGT 23M AGL, LOCATED AT 012106N 1035952E (BEARING/RANGE:133DEG/0.68NM FROM WSSS ARP).

A0250/13 NOTAMR A2492/12

From 1301300443 to 1307311559
TEMPORARY OBSTACLE (TREES), HGT 28M AGL, LOCATED AT 012144N 1040008E (BEARING/RANGE:77.5DEG/0.79NM FROM WSSS ARP).

A2186/12

From 1210111030 to PERM
CHANGI ARRIVALS VIA ATS ROUTE A464 SHALL FLIGHT PLAN BOBAG 1A OR BOBAG 1B AS STAR ROUTE. WHEN TRAFFIC PERMITS, BOBAG 1K, BOBAG 1L OR LELIB 2B STAR WOULD BE ISSUED TO PILOTS. REFER TO AIP SINGAPORE CHARTS WSSS AD 2-81, 2-81-1, 2-83, 2-83-1 AND 2-89.

WSAG(SEMBAWANG)

A0546/13

From 1303060235 to 1602281559
TWO LUFFER CRANE, HGT 591FT AMSL, ERECTED AT 012634.85N 1034703.65E (BRG/RANGE:291DEG/2.4NM FROM WSAG ARP).

A1635/12

From 1208010001 to 1310311559
THREE LUFFER CRANE, HGT 130M AMSL ERECTED AT 012743N 1034851E (WI WSAG ATZ). CRANE WILL BE MARKED AND LIGHTED AT NIGHT.

WSSL(SELETAR)

A0885/13

From 1304260000 to PERM
AMEND AIP SINGAPORE PAGE WSSL AD 2-3-2 SECTION WSSL AD 2.9 ITEM 4E, SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS: ONLY CODE A ACFT, CODE B ACFT, ACFT TYPE GLOBAL EXPRESS, GLOBAL 5000, GLOBAL EXPRESS XRS, FOKKER 100, GULFSTREAM 500, GULFSTREAM 550, ATR 72-500, DASH 7, FALCON 7X AND FOKKER 50 ARE ALLOWED TO SELF-POWER OUT FROM ACFT STANDS C1, C2, C3, C4, C5 AND C6.

A0733/13

From 1304052300 to PERM
COMMISSIONING OF ADDITIONAL TWO ROWS OF APPROACH LIGHTING AT RWY 03 INCLUDING CROSSBAR AT 300 METRES FROM RUNWAY 03 THRESHOLD.

A0656/13 NOTAMR A0306/13

From 1303200800 to 1307150001
REFERENCE TO AIP SUPPLEMENT 244/12 DATED 26TH DECEMBER, PARAGRAPH 3.1 AND ANNEX B, AMEND DATE 2 APRIL 2013 2300UTC TO READ AS 29 MARCH 2013 2300UTC. REST NO CHANGE.

A0655/13

From 1303200825 to PERM
REFERENCE TO AIP SUPPLEMENT 64/13 DATED 4TH MARCH, PARAGRAPH 3.1 TABLE 1(PHASE 3), 4.1, 6.1, ANNEX D AND E, AMEND DATE AND TIME 16 APRIL 2013 0030UTC TO READ AS 5 APRIL 2013 2300UTC. REST NO CHNAGE.

A0307/13 NOTAMR A0177/13

From 1302060543 to 1307150001
REFERENCE TO AIP SUPPLEMENT 244/12 DATED 26TH DECEMBER, PARA 1.2, 2.1, 2.2, 2.3, 2.4, 2.5 AND ANNEX A, AMEND 8 FEB 2013 2300UTC TO READ AS 26 FEB 2013 2300UTC. REST NO CHANGE.

A0146/13

From 1301180845 to PERM
REFERENCE TO AIP SUPPLEMENT 216/12 DATED 12TH NOV, PARAGRAPH 3.1 TABLE 1 PHASE 2 AND ANNEX C, AMEND EFFECTIVE DATE AND TIME 22 FEBRUARY 2013 0030UTC TO READ AS 15 MARCH 2013 0030UTC.

A0145/13

From 1301180841 to PERM
REFERENCE TO AIP SUPPLEMENT 216/12 DATED 12TH NOV, PARAGRAPH 3.1 TABLE 1 PHASE 1 AND ANNEX B, AMEND EFFECTIVE DATE AND TIME 1 FEBRUARY 2013 0030UTC TO READ AS 21 FEBRUARY 2013 0030UTC.

A0144/13

From 1301180840 to PERM
REFERENCE TO AIP SUPPLEMENT 216/12 DATED 12TH NOV, PARAGRAPH 3.1 TABLE 1 PHASE 3 AND ANNEX D, AMEND EFFECTIVE DATE AND TIME 15 MARCH 2013 0030UTC TO READ AS 16 APRIL 2013 0030UTC.

Latest AIC Issued

AIC: 2/13 12 APR 13

Latest AIP Amendment Issued

AIP AMENDMENT: 2/13 7 MAR 13

Latest AIP Supplement Issued

AIP SUPPLEMENT: 64/13 4 MAR 13

CHECKLIST OF AIP SUPPLEMENTS:

2011 - 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 223, 224, 225, 226, 227,

229, 230, 231, 232, 233, 259, 260, 261, 262 AND 263.

2012 - 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 156, 157, 158, 159, 160, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 187, 188, 189, 190, 191, 194, 195, 196, 197, 198, 204, 205, 206, 207, 208, 216, 224, 225, 226, 227, 228, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243 AND 244.

2013 - 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 37, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63 AND 64.

AIP SUPPLEMENTS CANCELLED SINCE LAST CHECKLIST:

2012 - 230.

2013 - 38.